Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



February 15, 1941

WHOLE SALE PRICE LIST



I.E.

ILGENFRITZ'

SONS CO.

The Monroe Mursery MONROE, MICHIGAN.



CONDITIONS OF SALE

- PRICES in this list cancel those in all previous price lists and are subject to change without notice. All sales and contracts are made subject to crop loss or loss through other causes over which we have no control.
- TERMS: Cash, unless credit has been established, when accounts are due thirty days from invoice date.

 Past due accounts bear 6 per cent interest from maturity.
- CLAIMS will be entertained only when made in writing within ten days after arrival of goods.
- GUARANTEE: If any nursery stock proves untrue to name, we will replace it or refund the money but in no case are we responsible for more than the amount originally paid.

SHIPPING INFORMATION

SHIPPING FACILITIES—Railroads—Michigan Central, N. Y. C., Pere Marquette, Grand Trunk.

Trucks—Associated Truck Lines, Michigan Motor Freight, Norwalk Truck Lines, and our own trucks.

PACKING will be added to the listed prices at cost.

BOXING CHARGES will be added as follows:

22221		40.00
30 x 30	inchessix	feet\$3.00
04 20	inchessix	feet 2.50
24 x 30	inchessix	fact 2.25
24 x 24	inchessix	150
20 x 20	inchessix	feet

For longer boxes add 50c for each two feet.

Paper lining extra at cost.

Bales 35c to \$4.00 according to size.

SHIPMENT—Our responsibility for delivery of stock ends when shipment has been delivered in good condition to the transportation company. If stock is not received in good condition, any claim for adjustment of loss or damage is a matter between the consignee and carrier.

DISTANCE from important cities within a 300 mile radius

Cleveland	miles
Columbus	miles
Columbus	miles
Cincinnati	miles
) IIIIICS
Chicago	miles

NURSERY LOCATION—On U. S. 24 Monroe, Michigan. 40 miles south of Detroit—20 miles north of Toledo. Office — 708 E. Front St.

INDEX

Broadleaved Evergreens	41-42
Dow-Wax	66
Evergreens	33-39
Evergreen Carrier	40
Firmer	64
Fruit Trees	58-61
Opener	65
Perennials	47-56
Roses	45-46
Shade Trees	20-31
Shrubs	1-19
Small Fruits	62-63
Spiral Tree Wrap	32
Vines	

ORNAMENTAL SHRUBS

	l to 9 Each	10-29 Each	30 to 249 Each	250 & Up Each
ACANTHOPANAX—Aralia	<u> </u>			
pentaphyllum 8' June				
Bright green leaves, arching branches, pricks	y.			
Good in poor soils. 15-18"	.15	.12	.10	
18-24"	20	.16	.14	
2-3'	25	.20	.18	
3.4'	45	.40	.35	
5-6'	60	.50	.45	
ALMOND				
Prunus alandulosa 6' May				
Very double, rose like flowers cover the		+		
branches before the leaves are out.				
Double pink 15-18"	25	.20		
18-24"	30	.25	.20	
2-3'	40	.35	.30	
3-4'	50	.40		
Double white 18-24"	30	.25	.20	
2-3'	40	.35	.30	
A T TO LIT A				
ALTHEA Hibiscus syriacus 12' August-September				
Large shrub for specimen or group planting.				
Blooms when few other shrubs are showing	I			
flower.				
Anemonaeflorus, double pink Ardens, double violet				
Boule de feu, double red				
Joan d'Arc, double white				
Shrubiorm 2-3'	20	.16	.14	
3-4'	25	.20	.18	
Treeform				
3-4'	35	.30	.25	
4-5'	50	.40	.33	
AMELANCHIER—Juneberry				
canadensis—30' May				
White flowers, purple fruit in June. 18-24"	30	.27	.25	
2-3'	40	.35	.30	
AMORPHA—False Indigo				
fruticosa 10' May-June	*			
Spreading shrub with feathery foliage and				
violet-purple flowers.	20	.16	.14	
3-4'	25	.20	.18	
4.5′	30	.25	.22	

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
ARALIA pentaphyllum See Acanthopanax	Lacil	Lucii	Edell	Eden
ARONIA—Chokeberry arbutifolia 8' April-May Red berries, foliage brilliantly colored in fall. Good in sour soil and shade.				
18-24"		.25 .35	.22	.20 .28
brilliantissima 8' April-May Large, brilliant, red berries. 18-24'' 2-3' 3-4'	40	.25 .35 .40	.22 .30 .35	.20 .28
melanocarpa 6' April-May Shiny black fruit. Good in shade. 18-24'' 2-3'		.20 .25	.18	
BERBERIS—Barberry mentorensis—MENTOR BARBERRY 5'				
Plant Patent No. 99 Deep green foliage, turning coppery bronze in late Fall. Half evergreen in this climate. 12-15" 15-18" 18-24" 2-2½'	35	.25 .30 .35 .40	.18 .20 .25 .30	
Suggested Retail Prices 3 12 100 12-15" 1.40 4.00 25.00 15-18" 1.50 4.50 30.00 18-24" 2.00 6.00 40.00 2-2½' 2.60 7.25 50.00				
thunbergi—JAPANESE BARBERRY 5' Much used for hedges because of bushy growth and protecting thorns. Brilliant fall color, red berries. Excellent for shady locations.				
12-15" 15-18" 18-24" 2-2½'	12	.06 .09½ .12½ .17	.05 .08 .10	.04 ½ .06 .09 .12
thunbergi atropurpurea 5' REDLEAF BA Plant in sunny places for best color. Will add pleasing color contrast to any planting. 12-15"		.12	.10	
15-18" 18-24" 2-2½'	.25	.17 .20 .25	.14 .18 .22	.12 .16 .20

	1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
BERBERIS—Barberry				
thunbergi erecta—TRUEHEDGE COLUMNI For formal hedges, no shearing require Very upright growth. Plant Pat. No. 110	BERRY d.			
9-12" 12-15" 15-18' 18-24" 2-2½' 2½-3' Suggested Minimum Retail Prices.		.085 .105 .125 .16 .20	.07 .09 .11 .14 .18 .25	
Each 5 Rate 25 F 9-12"25 .20 12-15"30 .24 15-18"35 .27 18-24"40 .32 2-2½'50 .38	Rate 15 19 22 27 33 46			
12-15"	25	.15 .20 .25	.12	
BUDDLEIA—Butterflybush				
alternifolia 6' HARDY BUTTERFLYBUT Does not freeze down. Lilac purple flow borne on arching branches. 2-3'	ers	.25	.20	
CHARMING BUTTERFLYBUSH				
New pink variety, blooming all summ large spikes. No. 1		.25	.20	
ILE DE FRANCE 5' Dark claret-purple flowers, medium hi	gh,			
continuous bloomer. No. 1	25	.20.	.15	
davidi magnifica—OXEYE BUTTERFLYB No. 1	20	.15	.12	
CALYCANTHUS—Sweetshrub				
floridus—CAROLINA ALLSPICE 5' Ju Fragrant, chocolate colored flowers, glo leaves, thrives in shady locations.	ne-July ssy			
18-24"	25	.22 .30	.20	

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
CARAGANA—Peatree				
arborescens—SIBERIAN PEATREE 12' M				
Bright yellow pea-shaped flowers, strong grower.				
18-24"	15	.12	.10	
2-3'		.18	.16	
3-4'	25	.22	.20	
CEPHALANTHUS—Buttonbush				
occidentalis 6' July				
Prefers moist soils. Balls of small white flowers.				
2-3'	25	.22	.20	
3-4'		.30	.25	
COLUTEA—Bladder Senna				
arborescens 15' June				
Pea shaped yellow flowers, large seed				
pods.	20	.25	.20	
2-3'		.30	.25	
4-5'		.35	.30	
5-6'	45	.40	.35	
CORNUS—Dogwood				
alba siberica—TARTARIAN DOGWOOD	10' Ar	oril-May		
Bright red branches, white flowers.				
18-24"		.12	.10	
2-3'		.20 .25	.16	
4-5'		.30	.25	
alba elegantissima—SILVER DOGWOOD	8'			
Silver and green leaves on red stems.				
2-3'	40	.35	.30	
amomum—SILKY DOGWOOD 10' June- Purplish red twigs, dark green foliage,				
silky underneath.				
2-3'		.20	.16	
3-4'		.25	.20	
4-5'	35	.30	.25	
baileyi—BAILEY DOGWOOD Dark red branches, white berries, good fall	1			
color.				
18-24"		.18	.15	
2-3'		.25	.20	
3-4'		.30	.25	
Yellow flowers in umbels before the leaves		111		
appear. Edible, scarlet fruit 3/4" long.	7			
2-3'		.55	.50	
3-4'		.85	.75	
paniculata—GRAY DOGWOOD 10' Mar Gray branches, white fruit, purple fall color				
18-24"		.12	.10	
2-3'		.16	.14	.12
3-4'		.20	.18	.15
4-5'		.30	.25	.22
5-6'	40	.35	.30	

	,	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
CORNUS—Dogwood sanguinea—BLOODTV Purple or dark red bro	WIG DOGWOOD 1	.2' May-]	lune		
2-3'			.20 .25	.16 .20	
stolonifera—RED OSI Dark red branches, w	ER DOGWOOD 8' white flowers and fru	May-Jun it,	ie		
			.25 .30		
stolonifera flaviramed A yellow branched fo	α—YELLOWTWIG D	ogwooi) 8' M	ay-June	
18-24"	or Filbert AN HAZELNUT 10	30	.20 .25	.18 .22	
edible nuts. 2-3'			.30 .40 .50 .75	.25 .35 .45	.20
COTONEASTER acutifolia—PEKING	COTONEASTER 12	' June			
Good hedge shrub, do fruit, red and yellow 15-18" 18-24"	ark green leaves, bla fall foliage.	15 20	.12 .18	.08 .15	.12
2-3' 3-4' divaricata—SPREAD	ING COTONEASTER	35	.22 .30	.20 .25	.18
Pink flowers, brance fruit in fall and wint	hes studded with r er. Arching branche	ed s.			.25
2-3' 3-4'		50 75	.35 .45 .60	.30 .40	.30
foveolata—10' May	y-June		.00		
A fine massive shrul glossy leaves, black scarlet foliage in fall	b for screening. Hea k berries, orange a l.	ind			
2-3'		35	.22 .32 .37	.20 .30 .35	
	ica—4' May red berries, grayish	1			
foliage. 2-3'			.45 .55	.40 .50	

Shrubs				
	to 9 ach	10 to 29 Each	30 to 249 Each	250 & Up Each
CYDONIA—(CHAENOMELES)				
japonica—JAPAN FLOWERING QUINCE 6' Clusters of scarlet flowers. Much noticed in spring, large fragrant fruits.	Marc	h-April		
15-18"	.22	.15 .18 .25	.12 .15 .20	.10 .12 .18
maulei—LESSER FLOWERING QUINCE 3' Low spreading shrub, orange flowers, yellow fruit.	March	-Aprıl		
12-15"	.22	.15 .18 .25	.12 .15 .20	.10 .12 .18
DAPHNE				
cneorum—GARLAND FLOWER 1' April-Mo Dwarf evergreen shrub. Rosettes of fragrant pink flowers in spring and often again in fall.	ay			
6-9" B&B		.55 .75	.50 .70	
DESMODIUM (See Lespedeza)				
DEUTZIA				
gracilis—SLENDER DEUTZIA 3' May Graceful dwarf shrub. Snow-white flowers.				
15-18''		.22 .30	.20 .25	
gracilis rosea—ROSE PANICLE DEUTZIA 5' Slightly larger growing with pink flowers. A good border plant.		0.5	20	
18-24"		.25 .35	.22 .30	
lemoinei—LEMOINE DEUTZIA 5' May Semi-dwarf. Creamy white flowers.				
18-24''		.22 .27	.20 .25	
scabrα—PRIDE OF ROCHESTER 10' May Double white flowers, tinged pink.	,			
2-3'		.18 .20	.15 .18	
DIERVILLA				
sessifolia—SOUTHERN BUSH HONEYSUCKL Leaves resembling Weigela, yellow flow- ers, spreading.	E 4'	June-July	7	
15-18'' 18-24'' 2-3'	.25	.18 .20 .25	.15 .18 .22	.16 .20

THE MONROE NORDERT				Dillion
	o 9 ach	10 to 29 Each	30 to 249 Each	250 & Up Each
ELAEAGNUS—Oleaster				
angustifolia—RUSSIAN OLIVE 20' June				
Silvery foliage, yellowish white fragrant				
flowers. Large gray fruit.	0.5	00	0.5	22
0 1 111111111111111	.35	.30 .40	.25 .30	.22 .28
4-5'	.50	.45	.35	.30
0-0	.55	.50	.40	
7-8'	.60	.55		
argentea—SILVERBERRY 12' May				
Silvery leaves, fragrant flowers, spineless.				
2-3'	.40	.35	.30	
3-4'	.50	.45	.40	
4-5'	.60	.50		
umbellata 12' May-June				
Oval scarlet fruit green leaves.				
2-3'	.40	.35	30	
3-4'	.50	.45	.40	
EUONYMUS—Spindle-Tree				
alata—CORKBARK EUONYMUS 10' May-	une			
Winged branches, small yellowish flowers,				
red fruits Crimson fall foliage.	FO	.45	.40	
2-3'	.50	.40	.40	
alata compacta 6' May-June				
Dwarf compact form of alatus. Wings negli-				
gible. Intense red fall coloring.	.85	.75		
3-4' PITTLY DIGIL O' Inno	.00			
americana—STRAWBERRY BUSH 8' June				
Green branches, orange fruit in September. 18-24"	.75	.65	.60	
DIDNING DIGIL ON Inno	,, ,			
atropurpurea—BURNING BUSH 20' June				
Scarlet fruit in October. 2-3'	.35	.30	.25	.22
3-4'	.45	.40	.30	.28
bungeana—WINTERBERRY EUONYMUS 1	5' Tun	е		
Large leaves, orange seeds.	0 ,			
2-3'	.35	.30	.25	.22
3-4'	.45	.40	.30	.28
4-5'	.50	.45	.40	
5-6'	.60	.50	.45	
europage EUROPEAN BURNING BUSH 15	j' June	Э		
Targo shrub or small tree. Yellow flowers:				
pink fruits hang on long after foliage has				
dranned	25	.30	.25	
2-3'	45	.40	.30	.28
3-4'	.50	.45	.40	.35
patens 10' Good shrub for winter effect. Holds leaves				
till spring. Slow growing and compact, fine				
for borders or planted with small ever-				
groons		1.05		
3-4'	1.50	1.25		

Simobb				
		0 to 29 Each	30 to 249 Each	250 & Up Each
EUONYMUS—Spindle Tree				
radicans—WINTERCREEPER 15'				
Can be used as vine for edging or ground				
cover. Evergreen.				
12-15"		.22	.20	
15-18"		.30	.25	
radicans vegetus—BIGLEAF WINTERCREEP	ER			
Large glossy green foliage, scarlet berries.				
Evergreen.	40	0.5	00	
12-15"	.50	.35	.30 .35	
	.50	.40	.55	
yedoensis — YEDDO EUONYMUS 15'				
Pink and orange fruit, bright fall coloring.				
18-24"	.30	.25	.20	
2-3'	.40 .50	.35 .40	.30 .35	
EXOCHORDA—Pearlbush	.50	.40	.55	
grandiflora 10' May-June				
Pearl like buds, pure white flowers. Prefers				
moist soil.				
2-3'	.25	.22	.20	
FORSYTHIA—Goldenbell				
intermedia—BORDER FORSYTHIA 8' Apr	il			
18-24"	.20	.15	.12	
2-3'	.25	.22	.18	.16
3-4'	.30	.25	.22	.20
4-5'	.35	.30		
intermedia spectabilis—SHOWY BORDER FO	DRSYTHI	Ā 8'	April	
Profuse yellow flowers in early spring.	211011111			
2-3'	.25	.22	.18	.16
3-4'	.30	.25	.22	.20
4-5'	.35	.30	.27	.25
suspensa 6' April				
Drooping habit, excellent for massing and				
planting on banks.				
18-24"	.20	.15		
2-3'		.22	.18	
3-4'		.25	.22	
4-5'		.30		
suspensa fortunei—FORTUNE FORSYTHIA	8' Apri	.1		
Upright shrub with slightly drooping branches.				
3-4'	00	.25	.22	.20
4-5'	.30 .35	.30	.27	.25
5-6'	.40	.35	.30	.28
virdissima—GREENSTEM FORSYTHIA 8'	April			
Bright green stems, glossy leaves.	-1			
18-24"	.20	.15		
2-3'		.22	.18	.16
3-4'	.30	.27	.25	.20

	l to 9 Each	10 to 29 Each	30 to 249 Each
HALESIA—Silverbell			
tetraptera—40' April Bell-shaped white flowers, winged fruit. 3-4'	50	.45	.40
HAMAMELIS—Witch Hazel			
virginiana—COMMON WITCH HAZEL 15' Yellow fringe-like flowers, appear after foliage has dropped. The dark brown seeds add to its attraction. 2-3' 3-4' 4-5'	60	.40 .50 .75	.35 .45 .65
HIBISCUS			
hibiscus syriacus 12' August-September Blooms when no other shrub is showing flower. Large shrub for specimen or group planting. Anemonaeflorus, double pink Boule de feu, double red Ardens, double violet Joan d'Arc, double white Shrubform 2-3'		.16	.14
3-4'	25	.20	.18
Treeform 3-4'	35	.30 .40	.25 .35
HIPPOPHAE—Sea Buckthorn			
rhamnoides 12' Narrow silvery leaves, orange berries. 2-3'	35	.30 .40	
HYDRANGEA arborescens grandiflora—SNOWHILL HYD	BANGE	EA 5' I	une-Tulv
Large heads of white flowers. 15-18"	20 25 30	.16 .20 .25	.14 .18 .22
paniculata grandiflora—PEEGEE HYDRAN Enormous trusses of white flowers chang	IGEA I-	8' Augu	st-September
ing to pink and bronze in fall. 15-18" 18-24" 2-3'	25	.16 .20 .25	.14 .18 .22

HYPERICUM—St. Johnswort aureum—GOLDEN ST. JOHNSWORT 4' July-August 18-24"	& Up
Column	
verticillata—WINTERBERRY 6' June Also known as Michigan Holly. Valued for its scarlet berries, which remain on the branches till midwinter. 4-5'	
5-6'	
IIIDDI I	
KERRIA japonica—JAPANESE KERRIA June-September 5' Graceful slender branches, stems and leaves bright green. Rich dark yellow flowers.	
15-18"	
KOLKWITZIA amabilis—BEAUTYBUSH 8' May Arching sprays of pink flowers. 2-3'	
LESPEDEZA formosa—PURPLE BUSHCLOVER 6' September Herbaceous shrub. Small rosy pea shaped flowers.	
No. 1	
amurense—AMUR PRIVET 12' Very hardy hedge plant. .05 .04 .03 12-18" .06 .05 .04 2-3' .07 .06 .05	.025 .035 .045
ibolium—IBOLIUM PRIVET 8' Hardy privet with glossy leaves. 18-24'' .06 .05 .04 2-3' .08 .07 .06	.035 .05
ibota—IBOTA PRIVET 8' Spreading habit, arching branches, covered with black berries in the fall. 2-3' .18 .16 .14 3-4' .25 .20 .18	
ibota regelianum—REGEL PRIVET 8' A low spreading form which retains the berries all winter. 15-18''	.16

	Each 1 to 9	Each 10 to 29	Each 30 to 249	Each 250 & Up
LIGUSTRUM—Privet				
ovalifolium—CALIFORNIA PRIVET 12' Almost evergreen. Glossy foliage. Less hardy than Amur Privet. 12-18" 18-24"	.05	.04 .05 .06	.03 .04 .05	.025 .035 .045
2-3'	.07	.00	.03	.043
LILAC—See SYRINGA				
LONICERA—Honeysuckle			,	
bella albida—WHITE BELLE HONEYSUCK White flowers, showy red fruit.	LE 10	April-M	ау	
2-3'	25	.18 .22 .28	.15 .20	.18
		1 8 1		
fragrantissima—WINTER HONEYSUCKLE Spreading shrub with deep green almost evergreen foliage. Fragrant cream-colored	t	rch-April		
flowers. 18-24'' 2-3' 3-4'	25	.18 .22 .30	.20 .25	
halleana—see Vines				
maacki—AMUR HONEYSUCKLE 12' Jun	.e			
Blooms later than other Honeysuckles White and yellow flowers, fruit in Septem ber. Very upright.				
2-3'	30	.25	.20	
3-4'	35	.30	.25	.22
4-5' 5-6'		.35 .40	.3 0 .35	
morrowi—MORROW HONEYSUCKLE 6' Yellowish white flowers and red fruit. Low spreading habit.	May-Ju 7,	ıne		
2-3'	25	.22	.18	.16
3-4' 4-5'		.30 .30	.25 .25	.22
sempervirens—see VINES				
syringantha wolfi May-June 2'				
Very low growing, almost horizontal narrov leaves, fragrant lilac-carmine flowers, re	w d			
fruit. 18-24''	40	.35	.30	.25
2-3'	50	.40		
3-4'	60	.50	.45	
tatarica alba—WHITE TATARIAN HONE	YSUCKI	LE 12'	April-May	
Upright grower, creamy flowers, red berries 2-3'	20	.18	.15	
3-4'	25	.22 .28	.20	

DIM ODD				
	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
LONICERA—Honeysuckle	Lacii	Lacii	дасп	Lacii
tatarica rosea—PINK TATARIAN HONEYSU Best known pink-flowering honeysuckle.	JCKLE	12' Apr	il-May	
2-3' 3-4'	20 25	.18 .22	.15 .20	
4-5'	30	.27 E 12' A	.25 .pril-May	
A red-flowering variety.	20	.18	.15	
3-4'	30	.22 .28 .35	.20 .25 .30	.22
MAHONIA—Hollygrape				
aquifolium—OREGON HOLLYGRAPE 5' Likes shady location. The shiny dark green leaves turn bronze in Fall and remain on the	l			
stems all Winter. Blue berries. 15-18" B&B	.1.25	1.00 1.25		
18-24" B&B	.1.50	1.23		
PHILADELPHUS—Mockorange				
coronarius—SWEET MOCKORANGE 10' Vigorous grower, very fragrant.	May-Ju	ne		
18-24"	15	.12	.10	
2-3'	20	.18	.15	
3-4'		.22 .28	.20 .25	
coronarius aureus—GOLDEN MOCKORANG		May-June		
A smaller, yellow-leaved variety.	42 0	ina _I jane		
12-15" 15-18"				
gordonianus—GORDON MOCKORANGE Bears a profusion of white flowers, slightly		e-July		
fragrant.				
18-24"		.12	.10	
2-3'		.18 .22	.15 .20	
4-5'		.28	.25	
grandiflorus 10' May-June				
Large white flowers. 2-3'	0.0	10	1.5	
3-4'		.18	.15 .20	.18
lemoinei — LEMOINE MOCKORANGE 5' Semi-dwarf, dense racemes of small frag-				
rant white flowers. 2-3'	30	.25		
virginale—VIRGINAL MOCKORANGE 8' Very large, semi-double fragrant white flowers.	May-J	une		
18-24"		.20	.18	
2-3'		.30 .40	.25 .35	

	l to 9 Each	10 to 2 9 Each	30 to 249 Each	250 & Up Each
PHILADELPHUS—Mockorange				
Bouquet Blanc 5' May				
Branches are covered with double white	е			
flowers very fragrant.				
18-24"	25	.20		
2-3'	30	.25		
PHYSOCARPUS—Ninebark				
opulifolius—COMMON NINEBARK 10'	May-June			
Thrives in partial shade, fast growing, a	t-			
tractive red seedpods.		10	15	
2-3'	20	.18 .25	.15 .20	
3-4'	30	.25	.30	
4-5'			.00	
opulifolius aureus—GOLDEN NINEBARK	10' Ma	y-June		
A vellow leaved variety.			1.5	
2-3'	20	.18	.15	
3-4'	30	.25	.20	
4-5'	40	.35	.30	
opulifolius nanus—DWARF NINEBARK	5'			
Compact shrub with small leaves, excelle	nt			
for hedges.				
2-3'	25	.20	.18	
PRUNUS				
glandulosa—PINK FLOWERING ALMONI	6' Mo	цу		
Very double, rose-like flowers cover the	ne			
branches before the leaves are out. Doub	le			
nink				
12-18"	25	.20	00	
18-24"	30	.25	.20 .30	
2-3'	40	.35	.30	
3-4'		.45		
glandulosa alba—WHITE FLOWERING A	LMOND			
Double White.				
18-24"	30	.25	.20	
2-3'	40	.35	.30	
pissardi—see TREES				
triloba—see TREES				
tomentosa—NANKING CHERRY 8' Apr	rıl-May			
Light pink flowers before leaves appear	ar.			
Covered in June with small cherries.	00	10	.15	
18-24"	20	.18 .25	.20	
2-3'	30	.25	.30	
3-4'	40	.45	.40	
4-5'	50	.50	.45	
5-6'		.50		
virginiana—CHOKECHERRY 30' May				
Dense racemes of white flowers.				
3-4'	40	.35	.30	
4-5'	50	.45	.40	
5-6'	60	.55	.50	

SHRUBS	IHE M	ONROE	INJERTI
1 to 9	10 to 29	30 to 249	250 & Up
Each Each	Each	Each	Each
RHAMNUS—Buckthorn			
cathartica—COMMON BUCKTHORN 12' June			
Vigorous shrub, loaded with black berries in fall.			
2-3'	.18	.15	.12
3-4'	.25	.20	.18
4-5'	.30	.25	.22
5-6'	.35	.30	
frangula—GLOSSY BUCKTHORN 12' June			
Shiny leaves, thornless branches, fine for			
high hedges.			
3-4'	.25	.20	00
4-5'	.30 .35	.25	.22
6-8'	.50	.30	.25
8-10'	.60	.40	
RHODOTYPOS			
kerrioides—JETBEAD 6' April-May			
Light green foliage, white flowers followed			
by black fruits. Good shrub for shady			
places.			
15-18"	.18	.15	
18-24''	.22	.20	00
3-4'	.27 .35	.25 .32	.20
0-4	.33	.54	
RHUS—Sumac			
canadensis—FRAGRANT SUMAC 6' April-May	7		
Valued for its orange and red fall-color. Low			
spreading habit.	10		
15-18''	.18	.15	
2-3'	.35 .45	.30 .40	
3-4'	.50	.45	
copallina—SHINING SUMAC 20' July			
Crimson fruit in September.			
3-4'	.35	.30	
cotinus—PURPLE FRINGE 12' July-August			
Also called Smoketree because the feathery			
purple flowers give the effect of smoke.			
12-15"	.18		
15-18"	.22		
2-3'	.45		
	.65		
RIBES—Current			
odoratum—GOLDEN CURRENT 6' April			
Yellow fragrant flowers.			
2-3'	.25		
	.35		
	.45		
ROBINIA			
hispidα-—ROSE ACACIA 4' Mαy			
Rose colored flowers.			
3-4'	.35	.30	

	l to 9 Each		30 to 249 Each	250 & Up Each
SAMBUCUS—Elder	Laci	Eden	Eden	Lacii
canadensis—AMERICAN ELDER 10' Jun	e-July	7		
Flat heads of white flowers, black berries.				
3-4'		.20	.18 .22	
4-5'			.44	
canadensis aurea—GOLDEN ELDER 10' Yellow leaves, white flowers.	June	-July		
3-4'	30	.25		
canadensis acutiloba—CUTLEAF ELDER	10'	May-June		
Fernlike foliage, white flowers.				
3-4'	25	.20	.18	
4-5'	30	.25	.22	
SORBARIA—False Spirea				
sorbifolia—URAL FALSE SPIREA 6'				
Plumes of creamy white flowers.				
2-3'	20	.18	.15	
3-4'	Zt	.22	.20	
SPIRAEA				
Anthony Waterer Spirea 3' June-Septem	ber			
Flat red flower heads.	20	.18	.15	
15-18'' 18-24''			.20	
arguta—GARLAND SPIREA 6' April-Mo		, , , , , ,	.20	
Fern like foliage, minute white flowers.	ı y			
18-24"	20	.18	.15	
2-3'	25	.22	.20	
billiardi—BILLIARD SPIREA 6' July-Sep	tembe	er		
Dense panicles of pink flowers.	0.1	- 00	.20	.18
2-3' 3-4'	Z:	5 .22) .27		.22
bumaldα—BUMALDA SPIREA 3' June-S	Sonto			
White flower heads.	bepter	IIDe1		
12-15"	1	5 .12		
15-18"	1	8 .15		
18-24"	2	0 .18	.16	
froebeli—FROEBEL SPIREA 4' May-Jun	Э			
Similar to Anthony Waterer Spirea, slightl	У			
larger, foliage color in autumn.	1	5 .12	.10	.07
15-18"	1			.10
18-24"		0 .18	.15	.13
salicifolia 6' July-August				
Spikes of light pink flowers.		- 10	. 10	
18-24"	1 2			.12
2-3' 3-4'				.18
thunbergi—THUNBERG SPIREA 4' Apr Dwarf plant with graceful arching branche	S.			
pure white flowers and dainty light gree	n			
leaves.		E 14	10	
15-18"	l	5 .12 n .18		
18-24'' 2-3'		5 .22		
Δ-3				

		O to 29 3 Each	0 to 249 Each	250 & Up Each
SPIRAEA			2011	24011
van houttei—VAN HOUTTE SPIREA 10' A A beautiful sight when the arching branches are loaded with clusters of snow-white flowers.	pril-May			
2-3'	.20	.12 .18 .25	.10 .15	.08 .12
SYMPHORICARPOS—Snowberry				
Drooping branches, dainty small leaves, red berries. Holds foliage very late.	June-July	10	00	
15-18"	.15 .20	.10 .12 .18	.08 .10 .15	
White flowers flushed pink followed by white berries.				
18-24"	.15 .20 .25	.12 .18 .22	.15 .20	
racemosus—SNOWBERRY 6' June-July Large white berries which remain after the foliage has dropped.				
15-18"' 18-24" 2-3" 3-4'	.12 .15 .20 .25	.10 .12 .18	.08 .10 .15	.18
vulgaris—CORALBERRY 6' June-July Bunches of red berries follow the small pink flowers.	.20	.22	.20	.10
18-24'' 2-3' 3-4'	.15 .20 .25	.12 .18 .22	.10 .15 .20	.14 .18
SYRINGA—Lilac				
josikaea—HUNGARIAN LILAC 12' June				
Violet flower clusters, late blooming. 18-24" 2-3' 3-4' 4-5'	.15 .20 .30 .40	.12 .18 .25 .35	.10 .15 .20	.14
persica—PERSIAN LILAC 10' April-Mo Small narrow leaves. Large clusters of lilac colored flowers.				
18-24" 2-3' 3-4'	.20 .30 .40	.15 .25 .35	.10 .20 .30	.18
villosa—LATE LILAC 8' June Delicate pink flowers, large leaves. 18-24"	.15	.12	.10	
2-3' 3-4' 4-5'	.20 .30	.12 .18 .25 .45	.15 .20 .40	

	to 9	10 to 29 Each	30 to 249 Each	250 & Up Each
SYRINGA—Lilac				
vulgaris—COMMON PURPLE LILAC 18' A	pril-N	Лау		
Free bloomer, vigorous grower. 18-24"	.15	.12	.10	
2-3'		.18	.15	.12
3-4'		.25	.22	.20
vulgaris alba—COMMON WHITE LILAC 18' Single white flowers.				
2-3' 3-4'		.25 .40		
HYBRID LILACS				
Single white. Double white. Single dark red. Double dark red. Single light red.				
Double light red, fading to blue.				
2-3'	.50	.45		
3-4'	.75	.65		
TAMARIX				
africana—AFRICAN TAMARIX 12' May				
Reddish-brown bark, pink flowers.	.20	.18	.15	
4-5'	.25	.22	.20	
5-6′	.30	.28	.25	
amurensis—AMUR TAMARIX 12' June-Jul	У			
Blue foliage, rosy-pink flowers. 4-5'	.25	.22	.20	.15
5-6'	.30	.28	.25	.20
VIBURNUM				
All Viburnums may be planted in shade.	10'	7		
Yellow berries which turn red; also valued for the reddish fall color of the foliage.	12′	April-May		
2-3'	.40 .45	.35 .40	.30 .35	
3-4' 4-5'	.50	.45	.40	
carlesi—FRAGRANT VIBURNUM 5' May				
Very fragrant, pink-flushed flowers. 15-18" B&B	1.00	.90		
cassinoides—WITHE-ROD 8' June Brilliant fall foliage, pink fruit changing to				
blue. 2-3'	55	.50	.45	
3-4'	.65	.55	.50	
dentatum—ARROWWOOD 12' May Bright green foliage, black berries.				
2-3'	.25	.22	.20	
3-4'	.30	.28 .65	.25	
5-6' 6-8'	1.25	1.00		
0-0				

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
VIBURNUM				
lantana—WAYFARING TREE 15' May Heavy, dark green leaves. The red berri turn black. Good for screens.				
2-3' 3-4' 4-5' 5-6' 6-7'		.25 .35 .45 .50 .65	.20 .30 .40 .45	
lentago—NANNYBERRY 20' May Large blue black fruit. Brilliantly color leaves in fall.	ed			
2-3' 3-4' 4-5' 5-6' 6-7'	60 75 1.00	.35 .55 .65 .90 1.10	.30 .50 .60	.25
opulus—EUROPEAN CRANBERRYBUSH Large bunches of single berries. The flower		pril-May		
are white. 18-24'' 2-3' 3-4' 4-5'	30	.20 .28 .38 .45	.18 .25 .35 .40	
opulus nanus—DWARF CRANBERRYBUS For borders and low hedges. Very compa	ct.			
6-9'' 4-6''		.25 .20		
opulus sterile—COMMON SNOWBALL Large snowball-like flowers.		ril-May		
2-3' 3-4' sieboldi—SIEBOLD VIBURNUM 10' New. Large shiny leathery leaves. The lic	50	.30 .45	.25 .40	.22 .35
18-24''	30	.25		
2-3'		.35		
4-5' 5-6' 6-7'	80	.50 .70 1.00		
tomentosum—DOUBLEFILE VIBURNUM Large white flowers followed by red berri		y-June		
3-4'	50	.45		
tomentosum plicatum—JAPANESE SNOV Large balls of white flowers.		8' May-Ju	ine	
2-3'		.40 .50		

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Ur Each
WEIGELA				
Abel Carriere—ABEL CARRIERE WEIGER Red flowers, good bloomer.	LA 6'	May		
2-3'		.22	.20	
White flowers.				
18-24"	25	.18 .22 .25		
Eva Rathke—REDFLOWERING WEIGELA Deep red, trumpet shaped flowers.	5′ M	ay-June		
12-15"	20	.12 .18 .25 .30	.10 .15 .20 .25	
floribunda—CRIMSON WEIGELA 8' Ma Much stronger grower than Eva Rathke. Re flowers.	ıy-June d			
15-18" 18-24" 2-3' 3-4'	20	.12 .18 .22 .30	.10 .15 .20 .25	
hendersoni — HENDERSON WEIGELA 8' Smooth, slender stems, pink flowers.	Мау-	lune		
18-24"	20	.12 .18 .20 .27	.10 .15 .18 .25	.12 .15
rosea—PINK WEIGELA 8' May-June Pink flowers, erect grower.				
2-3'		.18 .20	.15 .18	
variegata—VARIEGATED WEIGELA 5' Green leaves with cream colored margin pink flowers.	May-Iu	ine		
15-18"		.12 .18	.10 .15	

SHADE TREES

All trees are priced bare root unless marked B&B.

	1 to 9	10 to 29	30 to 249	250 & Up
	Each	Each	Each	Each
ACER—Maple				
dasycarpum—SILVER MAPLE 80' Fast growing tree, leaves silver	y underneath.			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.00 1.50 1.75 2.25 3.50	.75 .90 1.35 1.60 2.00 2.75 4.00	.70 .85 1.25 1.50	.65 .80 1.10
dasycarpum wieri—WIER MAPLE Drooping branches, cut leaves.	80'			
5-6' 6-8' 1½-2'' 2-2½'' 2½-3''		.60 .75 1.50 1.75 2.50		
ginnala—AMUR MAPLE 25' Brightly colored leaves in fall.				
2-3'		.30 .40 .50	.25 .35 .45	.20 .30
negundo—BOXELDER 50' Bright green foliage, fast growing.				
6-8'		.45 .65 .85 1.25		
palmatum atropurpureum—JAPANI Grafted Small, graceful specimen tree for co trast. Very popular.		F MAPLE	15'	

		l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
ACER-	–Maple				
platano	oides—NORWAY MAPLE 50'				
Broad,	round top. Fine for street planting.				
	6-8'	1.25	1.10	1.00	
	8-10'	1.75	1.35 1.60	1.25	
	11/4-11/2"		2.00		
	1½-2"	3.00	2.75		
	2½-3"		3.00		
	3-31/2"	. 4.25	3.75		
	31/2-4"		5.50		
	4-5"	7.00	6.50		
	5-6''		8.00		
	6-7"				
	7-8"	. 14.00			
platan	oides schwedleri—SCHWEDLER MA	PLE 5	0'		
	leaves in spring.				
1	2-21/2"		3.00		
	21/2-3"	3.75	3.50		
	3-31/2"	4.25	4.00		
rubrum	-RED MAPLE 75'				
	fall foliage, light bark.				
Dod.io.	2½-3"	6.00			
	3-31/2"	7.50			
	31/2-4"	9.00			
saccho	rum—SUGAR MAPLE 75'				
	e turns bright yellow and red in fall	l.			
	6-8'	1.25	1.00		
	8-10'		1.50		
	11/4-11/2"		1.75		
	1½-2"		2.25		
	2-2½"				
	3-3 ½"				
	3½-4"				
	4-5"				
AESCU					
		May			
nippoc	astanum—HORSECHESTNUT 70' flowers, tinged red.	May			
Wille	5-6'	1.25	1.00	.85	
	6-8'		1.50		
	2-21/2"				
AII.AN	THIIS				
	llosα—TREE OF HEAVEN 60'				
	growing tree. Will stand smoke.				
riapia	8-10'	1.25			
ADALI					
ARALI					
spinos	a—DEVILS WALKINGSTICK 25'	,f			
Tropico	al appearance. Large clusters of showhite flowers in July.)1			
green	5-6'	75	.65		
	6-8'		.75		
	8-10'	1.00	.90		

IREES .				
	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
ASH s	see Fraxinus			
alba—	A—Birch EUROPEAN WHITE BIRCH 40' ve white bark. 5.6'	.65	.50	
	6-8'	1.00 1.25	.85 1.00	
clumps				
Larger	6-8' B&B 2 Stems. 3.50 6-8' B&B 3 Stems. 4.50 8-10' B&B 2 Stems. 4.50 8-10' B&B 3 Stems. 6.00 sizes available.			
	ciniatα—CUTLEAF WEEPING BIRCH 40 ag branches, deeply cut leaves.	,		
	8-10'2.00	1.75		
	.PA sα—WESTERN CATALPA 35' nt white and yellow flowers.			
	5-6'	.25 .35		
bungei	—UMBRELLA CATALPA 6' 1 Year Heads1.00	.85	.75	.55
canade	S—Redbud ensis—AMERICAN REDBUD 30' April es of red flowers before the leaves			
app our	3-4'	.35 .45 .55	.30 .40 .50	
	JS—Dogwood —WHITE FLOWERING DOGWOOD 30'	May		
Large	white flowers. 3-4' B&B 1.50 4-5' B&B 2.00 5-6' B&B 2.75 6-7' B&B 4.00 7-8' B&B 5.50 8-10' B&B 7.00			
florida	rubrα—RED FLOWERING DOGWOOD 3-4′ B&B 2.50 4-5′ B&B 3.50 5-6′ B&B 4.00 6-7′ B&B 6.00	30' May		

1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
CRATAEGUS—Hawthorn			
coccinea—SCARLET FRUITED HAWTHORN			
4-5'	1.25	1.10	
5-6'	1.50		
6-8'	2.25 3.25		
8-10'			
Beautiful fall coloring. Clusters of small,	-		
bright red berries. Upright habit of growth,			
fine for hedging.			
3-4'	.80	.75	
4-5'	1.10	1.00	
5-6'	1.65	1.50	
6-8'			
crusgalli—COCKSPUR THORN 40' May-June			
Branches wide spreading. The red fruit often			
remains on the branches till spring. Glossy			
leaves, assuming orange and scarlet colors			
in fall.	0.0	75	
3-4'	.80 1.10	.75 1.00	
4-5'	1.10	1.50	
	1.00	1.00	
mollis—DOWNY HAWTHORN 30' April-May			
One of the most decorative Hawthorns with large leaves. The showy fruits drop after			
ripening.			
3-4'	.65	.50	
4-5'	.85	.75	
5-6'	1.25	1.00	
6-8'	1.75		
8-10'			
oxyacantha—ENGLISH HAWTHORN 15' May			
Fragrant white flowers followed by scarlet			
fruits.	.30	.25	
2-3'	.40	.35	
3-4'	.60	.50	
5-6'	.75	.00	
8-10'	,,,		
10-12'			
oxyacantha splendens —PAUL SCARLET THORN	15' May	7	
Double rose flowers.			
3-4'	.65	.50	
4-5'	.75	.65	
5-6'	.90	.80	
punctata —DOTTED HAWTHORN 30' May			
Broad-headed tree, white flowers, red fruit.			
3-4'	.65	.50	
4-5'	.85	.75	
5-6'	1.25	1.00	
tomentosa 20' May			
Spreading small tree, gray bark, elongated			
red fruit			
3-4'	.65	.50	
4-5'	.85	.75	

TREES	I H L M	ONROL .	TOTISLITT
1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
FAGUS—Beech sylvatica—EUROPEAN BEECH 80'			
Light gray bark. The leaves turn yellow in fall and remain on the tree nearly all winter. 2-3' B&B	2.50 2.75		
4-5' B&B 3.50 5-6' B&B 4.50	3.00 4.00		
FRAXINUS—Ash americana—AMERICAN ASH 75' Also called White Ash. A good tree for street planting.			
8-10' 1.25 $1\frac{1}{4}$ - $1\frac{1}{2}$ '' 1.50 $1\frac{1}{2}$ - 2 '' 1.75 2 - $2\frac{1}{2}$ '' 2.00	1.00 1.25 1.50 1.75	.90 1.15 1.35	
GINKGO biloba—MAIDENHAIR TREE 70' Fanshaped leaves, bright yellow in fall.			
6-8'			
of seeds. 6-8' 1.25 8-10' 1.75 $1^{1}4 \cdot 1^{1}2''$ 2.00 $1^{3}4 \cdot 2''$ 2.50 $2 \cdot 2^{1}2''$ 3.00	1.00 1.50 1.75 2.25	.85 1.25	
LIRIODENDRON tullpifera—TULIPTREE 70' Clean, straight trunk, excellent street tree. Tulip shaped flowers, green and orange. Spring planting only.			
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$.75 1.00 1.25	.65	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			
MAGNOLIA soulangeαnα—SAUCER MAGNOLIA 20' Flower petals creamy white inside, rosy pink outside. Blooms in March.			
3.4' B&B 3.00 4.5' B&B 4.00 5.6' B&B 5.50	2.75 3.75 5.25		

	1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
MALUS—Flowering Crab arnoldiana—ARNOLD CRAB 12'				
Single pink flowers, yellow fruit. 3.4' 4.5'		.35 .40	.25 .30	
atrosanguineα—CARMINE CRAB Single carmine, glossy green foliage. 3-4'	50	.40	.35	
4-5' baccata—SIBERIAN CRAB 30'		.60	.50	
Single white flowers, red or yellow fruit. 3.4' 4.5'		.35 .40	.30	.28
coronaria—WILD SWEET CRAB 30' Delicate pink, single, fragrant. 3-4'		.35	.25	
4-5'	60	.40 .50 .70	.30 .45	
DOLGA 20' Pink bud, opens white, large red fruit. 3.4' 4.5'		.35 .40	.25	
DR. VAN FLEET				
Pink flowers, fast grower. 4-5'		.40 .50		
eleyi—ELEY CRAB 20' Single light red flowers, purple foliage. 2-3'	30	.25	.20	
3-4'	50	.35 .40	.25 .30	.22 .28
floribundα—JAPANESE FLOWERING CRA Crimson flowers. 3-4'	40	.35		
4-5'	50	.40		
18-24'' 2-3' 3-4' 4-5'	50 75	.30 .40 .60 .80	.25 .35	
pumila niedzwetzkyana—REDVEIN CRAB Single red flowers, red fruit.	20'			
3-4'		.35 .40	.25 .30	.28
prunifolia fructo coccinea Scarlet fruit. 4-5'	50	.40		
prunifolia rinki—CHINESE APPLE 15' Single white flowers, flushed pink. 4-5'	50	.40		
1.0				

	1 to 9 Each	10 to 29 Each	30 to 249 250 & Each Eac	Up h
MALUS—Flowering Crab				
robusta—CHERRY CRAB 15' Large white flowers, red fruit. 4-5'	50	.40		
robusta persicifolia—PEACHLEAF CHERRY				
Long, narrow leaves.	30	.25		
3-4'	40	.35		
sargenti—SARGENT CRAB 6' Single white flowers, dark red fruit.				
2-3' 3-4'	50 75	.40 .60	.35	
scheideckeri—SCHEIDECKER CRAB 20'				
Semi-double pink flowers, yellow fruit.	30	.25		
3-4'	40	.35		
sieboldi—TORINGO CRAB 15' Single pink flowers.				
3-4' 4-5'	50 75	.40 .60		
spectabilis—CHINESE FLOWERING CRAI				
Semi-double pink flowers, yellow fruit.		.25		
3-4'	40	.35 .40		
toringoides—CUTLEAF CRAB 15' Single white flowers; fruit yellow with re				
cheek. 3-4'		.35		
4-5'	50	.40		
zumi calocarpa 15' Cerise buds opening pink, small red fruit.				
4-5'	50	.40		
PLATANUS—Plane tree				
occidentalis—AMERICAN PLANE TREE The green and creamy white bark gives	130' a			
striking appearance. 8-10'	80	.70		
1 ½-1½'' 1½-2''	1.25	1.00 1.50	.85 1.35	
2-2 ½" 2 ½-3"	2.25	2.00 2.75		
3-3½"		3.00		
orientalis—ORIENTAL PLANE 80' Broad, round head. Will stand trimming.				
8-10'	1.25	1.00 1.50		
$1\frac{1}{2}$ -2" $2 \cdot 2\frac{1}{2}$ " $2 \cdot 2\frac{1}{2}$ " $2 \cdot 2\frac{1}{2}$ "	2.25	2.00	1.85	
M M / Z		2		

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
POPULUS—Poplar				
bolleana—BOLLEANA POPLAR 60'				
Green bark, silvery foliage.		45	40	0.0
5-6'		.45 .55	.40 .50	.30 .40
6-8'		.65	.60	.50
8-10'	1.00	.80	.75	.50
$1\frac{7}{4}$ - $1\frac{7}{2}$	1.50	1.25	1.00	
2-21/2'	1.75	1.50	2.00	
2½-3′	2.50	2.25		
eugenei—CAROLINA POPLAR 100'				
A large spreading tree; fast grower.				
8-10'	50	.40	.30	
11/4-11/2"	60	.45	.40	
11/2-2"	75	.65	.60	
2-21/2"	1.00	.80	.75	
21/2-3"	1.25			
nigra italica—LOMBARDY POPLAR 80				
Pyramidal habit, often used for screens.				
5-6'	25	.20	.18	.15
6-8′	35	.30	.25	.22 .25
8-10'	50	.40 .45	.30 .35	.30
1 1/4 - 1 1/2"		.60	.50	.50
1½-2"	/3	.00	.00	
simoni—SIMON POPLAR 25'				
Outline similar to Lombardy Poplar	but			
broader. Much smaller and with shi	ny			
leaves. 5-6"	50	.45		
		.55	.50	.40
6-8'		.65	.60	
1 1/4-1 1/2"	1.00	.80		
PRUNUS				
uniencana minimum i zom				
Attractive large fruit, edible.	20	.15	.12	.10
4-5'	25	.20	.15	.12
5-6'	30	.25	.20	
6-8'	40	.30	.25	
americana—newport—PURPLE-LEAVED		N PLUM	20'	
2-3'	35	.30	.28	
3-4'	50	.45	.40	
4-5'	60	.55	.50	
5-6'	75			
6-7'	1.00			
besseyi-WESTERN SAND CHERRY				
Prostrate habit, edible fruit, leaves colo	r in			
fall.		0.0		
2-3'	40	.30		
cerasifera pissardi—PURPLELEAF PLUM	1 15'			
Reddish purple leaves.			10	
3-4'	50	.45	.40	
4-5'	60	.55		

TREES	IIIL M	ONHOL	I TO THO ELLI
1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
PRUNUS			
cerasifera pissardi blirieana Purple tinted foliage, semi-double apple-			
blossom-pink flowers. 4.5'	1.00		
serotina—WILD BLACK CHERRY 60' White flowers in long racemes, small black			
fruit. 6-8'			
subhirtella pendula—ROSEBUD WEEPING CHERRY Drooping branches covered with rose flow-	₹		
ers $5-6^{\circ}$ 1 Year Heads			
3 ½-4"			
triloba—FLOWERING PLUM 10' Rosettes of double pink flowers.			
2-3'	.40 .50	.35 .45	
4.5'	.60	.55	
JAPANESE FLOWERING CHERRIES			
Treeform Kwanzan			
4-5'	1.00		
Bushform Kofugen, double, deep pink. Shirofugen, semi-double, pale pink.			
6-8'	2.25		
QUERCUS—Oak coccinea—SCARLET OAK 90'			
Brilliant fall color, deeply lobed leaves.			
$3^{1/2} \cdot 4''$			
mαcrocαrpα—MOSSYCUP OAK 75' 1½-2"			
$2 \cdot 2 \cdot 1/2''$ 4.00 $2 \cdot 1/2 \cdot 3''$ 5.00			
3-31/2"			
3 ½-4"			
palustris—PIN OAK 75'			
Very symmetrical, bright red foliage in fall.			
4-5"9.00			
5-6"			
6-7''			

	1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
QUERCUS	<u> L</u> ucii	20011	2001	2001
rubraRED OAK 80'				
Smooth, olive green bark. Red fall foliage.	10.00			
4-5"	12.00			
5-6"	. 15.00			
SALIX—Willow				
alba—WHITE WILLOW 60'				
A large upright tree. Branches somewha	rt			
pendulous.	75	60	.50	.40
6-8'		.60 .75	.65	.55
11/4-11/2'	1.25	1.00	.85	.75
11/2-2"	1.50	1.25	1.00	
2.21/2"		1.50	1.25	
21/2-3"	2.00	1.75		
babylonica—BABYLON WEEPING WILLO	W 40'			
Long slender olive-green branches. 6-8'	60	.50	.45	.40
8-10'	80	.70	.65	.60
11/4-11/2"	1.00	.85		
blanda—WISCONSIN WEEPING WLLOW	50'			
Long narrow shiny leaves.				
5-6'	40	.35	.30	.25
6-8'	60	.50 .70	.45 .65	.40 .60
8-10'	1 00	.70	.80	.75
1 1/4-1 1/2	1.00	.00	.00	., 0
THE PRICE AND LOTAL 15'				
discolor—PUSSY WILLOW 15' Large catkins. Fine for cutting.				
3-4'	35	.25	.20	
4-5'	40	.35	.30	
5-6'		.40	.35	.40
6-8'	75	.60	.50	.40
		F.0/		
elegantissima—THURLOW WEEPING WI	LLOW	50′		
Yellow bark, fast grower. 6-8'	50	.45	.40	.35
8-10'	70	.60	.55	.50
pentandra—LAURELLEAF WILLOW 30'				
Glossy foliage, round head.	0.5	20	.25	
5-6'	35	.30 .40	.35	.30
8-10'	75	.65	.50	.40
0-10				
SORBUS-Mountain Ash				
aucuparia—EUROPEAN MOUNTAIN ASH	H 40'			
Scarlet berries in August and September.			-00	
5-6'	75	.65	.60 .80	
6-8'	1.50	.85 1.25	1.00	
8-10'	1.50	1.20	1.00	

Up

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & 1 Each
TILIA—Linden americana—AMERICAN LINDEN 75' Fast growing tree with large leaves. Yellov				
flowers in June. 2.2½" 2½-3" 3.3½" 3.3½" 3½-4" 4.5" vulgaris—EUROPEAN LINDEN 75° Round beaded tree with small leaves.	2.00 2.75 3.50 4.50 6.00			
6-7''	.12.00 .14.00			
ULMUS—Elm americana—AMERICAN ELM 100' Best known American tree.				
$6-8'$ $8-10'$ $1\frac{1}{4}-1\frac{1}{2}''$ $1\frac{1}{2}-2''$ $2-2\frac{1}{2}-3''$ $3-3\frac{1}{2}-3''$ $3-5-6''$ $6-7''$	75 90 1.25 1.50 2.25 3.00 4.25 5.75 8.00	.40 .60 .80 1.10 1.35 2.00	.35 .55 .75 1.00 1.25	
glabra—SCOTCH ELM 75' Broad round head, smooth bark. 1½-2" 2-2½"				
2½-3" 3½-4" 4-5" 6-7" 7-8" 8-9"	3.25 5.00 6.50 .12.00 .16.00			
MOLINE ELM 80' Smooth bark, large foliage.				
8-10' $1^{1}\sqrt{4}-1^{1}\sqrt{2}$ '' $1^{1}\sqrt{2}-2^{1}$ '' $2-2^{1}\sqrt{2}$ '' $2^{1}\sqrt{2}-3^{1}$ '' $3-3^{1}\sqrt{2}$ '' $3\sqrt{2}-4^{1}$ '' $4-5$ ''	1.00 1.50 1.75 2.50 3.50 4.50	.75 .90 1.25 1.50 2.25	.65 .85 1.15 1.35 2.00	
VASE ELM 50' Vase shaped type of American Elm.				
Value shaped type of American Limit 8-10' $1^{1}/4 \cdot 1^{1}/2''$ $1^{1}/2 \cdot 2''$ $2 \cdot 2^{1}/2''$ $2^{1}/2 \cdot 3''$ $3^{1}/2 \cdot 4''$	1.00 1.50 1.75 2.50 3.50	.90 1.25 1.50 2.25	1.15	

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up
ULMUS—Elm pumila—CHINESE ELM 50' Fast growing tree, compact habit of grow	rth.			
6-8' 8-10' 1 \(\frac{1}{4}\)-1 \(\frac{1}{2}\)' 2 \(\frac{1}{2}\)-2'' 2 \(\frac{1}{2}\)-3'' 3 \(\frac{3}{2}\)-4'' 4-5'' 5-6''		.75 1.10 1.50 2.25 2.75 3.25 3.75	.65 1.00	.50

MICHIGAN PEAT

in bulk, f. o. b. Capac, Mich. \$8.00 per ton, minimum car 25 tons. 1 ton contains $3\frac{1}{4}$ to $3\frac{1}{2}$ yards.



SPIRAL TREE WRAP

Experience has shown that wrapping the trunks of transplanted trees greatly reduces losses due to weather conditions. Wrapping also protects trees against damage from borers and rodents.

SPIRAL TREE WRAP is a creped craft paper made up of two sheets of 30 lb. basis with a layer of asphaltum between them.

SPIRAL TREE WRAP is long lasting. It may be applied to trees in fall or spring after transplanting and should be removed about October 15th.

After the tree trunk has been wrapped with SPIRAL TREE WRAP, it is securely held in place by a criss-cross tie of binder twine or similar cord.

Sold in rolls about 100 feet long. 7 inches in diameter.

		1-9	roll	s		10-9	9 ro	lls
3''	wide\$.30	per	roll	\$.25	per	roll
5′′	wide\$.40	per	roll	\$.32	per	roll
7''	wide\$.50	per	roll	\$.38	per	roll

The average trunk is wrapped about 7 ft. high and the wrap is overlapped about half its width.

The following table is only approximate.

3'' wide spiral tree wrap	5" wide spiral tree wrap
3" tree47 ft	28 ft.
6" tree	58 ft.
9" tree	82 ft.
12" tree	108 ft.

EVERGREENS

T A TITOIT	TITITAR	<i>3</i>		
	l to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each
ARBORVITAE—THUJA	Lacii	Lacii	Lacii	Lacii
occidentalis—AMERICAN ARBORVITAE	40'			
Fine for formal hedges. Also used for	Г			
screens.				
2-3'				
3-4'		1.75		
5-6'		2.25 2.75	2.60	2.50
6-7'		3.25	3.10	3.00
8-9'		3.50	3.25	
9-10'	5.00	4.50	4.25	
10-12'	6.00	5.50	5.25	
12-14'	8.00	7.50	7.25	7.00
occidentalis compacta—PARSON GLOBE	ARBORV	TTAE 4'		
Bright green in color	1.00	.85		
12-15"		1.00		
15-18"		25'		
Handsome curly foliage, light and da	rk	20		
green contrasts. Pyramidal shape.				
2-3'	1.50			
3-4'	2.00			
6-7'	3.50	2.75		
7-8'		3.25 3.50		
8-9'		4.50		
occidentalis elegantissima—GOLDTIP A				
Branches have yellow tips, most noticeal	nle	IAL IO		
in Spring. Pyramidal form.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
18-24"	1.00	.85	.75	
2-3'	1.50	1.25	1.10	1.00
3-4'	2.00			
occidentalis lutea—GEORGE PEABODY	ARBORV	ITAE 15'		
Growth resembling American Arborvita	ze.			
Bright yellow. 2-3 '	1.50			
3-4'	1.75			
4-5'				
5-6'	3.00			
6-7'	3.50			
7-8'	4.50	m * T 051		
cccidentalis pyramidalis—PYRAMIDAL A	ARBORVI	TAE 25'		
Very compact.	1 75			
2½-3'	2.00			
4-5'	2.50			
5-6'	2.75	2.65	2.50	
6-7'	3.25	3.00	2.85	2.75
7-8'	3.75	3.50 4.00	3.25 3.75	3.00
8-9'	5.50	4.00	3.73	
9-10'	7 00			
10-11'	9.00			
12-13'	12.00			

EVERGREENS				
	l to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each
ARBORVITAE—Thujα				
occidentalis vervaeneana—VERVAEN Bushy compact, and broad at base an	d top.	AE 10'		
5-6' 6-7' 7-8' 8-9' 9-10'	3.50	3.35 4.00 5.00	4.50	4.00
occidentalis wareana—SIBERIAN OR	WARE ARBO	DRVITAE	15'	
Blue green color, cone shaped, slow green 18-24" 2-2-1/2' 2-1/2-3' 3-4' 4-5' 5-6' occidentalis woodwardi—WOODWAR	1.25 1.50 2.25 2.75 3.50 4.75	1.00 1.25 2.00 2.50	1.75 2.25	
Perfectly round, no trimming required 12-15"	1.00	.85 1.00		
orientalis—CHINESE ARBORVITAE 2-3' 3-4' 4-5' 5-6' 6-7' 7-8' 8-9'	1.75 2.50 3.00 4.50 6.50			
orientalis aurea nana—BERKMAN G	OLDEN ARBO	ORVITAE	4'	
A small yellow evergreen, very comp 12-15" 15-18"	1.00	.85 1.10		
orien'alis bakeri—BAKER ARBORVIT Pyramidal form, dark green color. 15-18"				
18-24"	1.00			
orientalis bonita 4' Light green, otherwise resembling Be Arborvitae. 15-18'' 18-24''	1.00			
FIR				
ABIES concolor—CONCOLOR FIR 8 Blue-green tips, symmetrical. 2-21/2' 21/2-3' 3-4' 4-5' 5-6'	1.75 2.50 3.25			

THE MONROE NURSERI		EVER	GREENS
1 to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each
FIR			
nordmanniana—NORDMAN FIR 100' Leaves dark green, bluish underneath. 3-4' 2.25 4-5' 3.00 5-6' 4.00			
HEMLOCK—Tsuga			
canadensis—CANADIAN HEMLOCK 75' Light green needles. 2.21/2' 2.25 $2^{1}/2 \cdot 3'$ 2.50 $3 \cdot 4'$ 3.25 $4 \cdot 5'$ 4.50 $5 \cdot 6'$ 6.00	2.15 2.40 3.00 4.25	2.00 2.35	
JUNIPER—Juniperus			
chinensis—CHINESE JUNIPER 6' Pyramidal in growth, very hardy. 8-9'			
chinensis columnaris—CHINESE COLUMN JUNIPER A tall narrow variety of Juniperus chinensis. 4-5'	22.00		
chinensis keteleeri — KETELEER JUNIPER 20' Gray-green foliage, very straight, large berries. 3.00 4-5' 4.25 5-6' 5.50 6-7' 6.50			
chinensis mascula 2.50 3-4' 3.00 4-5' 3.00 5-6' 4.00	2.25 2.75		
chinensis nfitzeriana—PFITZER JUNIPER 6'			
Spreading type with blue-green foliage. 15-18"	1.25 1.85 2.25 3.25	1.75	1.70
chinensis pfitzeriana—UPRIGHT PFITZER JUNIPE	3		
Trained upright. 2 ½-3' 3.50 3-4' 4.50 4-5' 5.00	3.25 4.25	3.00 4.00	
communis hibernica—IRISH JUNIPER 10' Form a narrow column. 1.25 2-3' 1.75			

	l to 5 Each	6 to 10 Each	11 to 30 Each	30 & uj Each
UNIPER—Juniperus				
communis suecica—SWEDISH JUNIPER				
2-3'	1.50			
cracovica—POLISH JUNIPER				
Dense light green columnar evergre Slower grower than the preceding varie				
2-21/2'	1.50			
2½-3′	2.00			
excelsa siricia—SPINY GREEK JUNIPER	5'			
Cone shaped evergreen wih broad base.	1.05	1.05		
15-18''		1.25 1.65		
2-21/2'		2.25		
21/2-3'	3.25	3.00		
horizontalis—CREEPING JUNIPER 11/2'				
Low creeper, dark green foliage.	1.05	1.00		
15-18''		1.00 1.25		
18-24"				
Creeping evergreen, foliage purple in	n winter.	-11 1		
12-15"		.75		
15-18"		1.00	1.05	
18-24"		1.50 1.75	1.35	
2-2 ½ ·		2.00		
sabina—SAVIN JUNIPER 4				
Spreading plant, dark green.				
15-18"		1.35		
18-24"		1.75		
scopulorum—COLORADO JUNIPER 30 Pyramidal shape, very campact.				
18-24"	1.50	1.25		
2-3'		1.75		
3-4'		2.25		
4-5'		3.25 4.25		
5-6'	6.00	4.45		
scopulorum—CHANDLER SILVER				
Improved variety. Silvery blue color.				
18-24"		1.25		
2-3'		1.75 2.25		
3-4'		3.25		
sphaerica—FORTUNE REDCEDAR				
Grayish green foliage, irregular upri	ight			
grower.				
2½-3′		1.75 2.50	1.65	
3-4'		3.00		
5-6'		3.75		
squamata meyeri—MEYER JUNIPER 5				
Bluish color, spreading.				
15-18"		1.50		
18-24"	2.25	2.00		

	l to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each
JUNIPER—Juniperus				
virginiana cannarti—CANNART REDCED	AR 15'			
Dark green foliage, small blue berries.		0.775		
3-4'	3.00	2.75 4.00	3.75	
4-5′	5.50	5.00	4.75	
5-6'	6.50	0.00	4.70	
virginiana glauca—SILVER REDCEDAR	15'			
Much used for color contrasts.	10			
3-4'	3.00	2.75		
4-5'	4.25	4.00	3.75	
5-6'	5.50	5.00		
6-7'	6.50			
virginiana pendula —WEEPING RED CE	DAR 12'			
Dark green, drooping foliage.				
3-4'	2.50			
4-5'	4.50			
5-6'				
Virginiana schoul—Schott HEBSEDIII	12'			
Foliage bright green to yellow.	3.00	2.75		
3-4'	4.25	4.00		
5-6'	5.50	5.00	4.75	
6-7'	6.50			
PINE—PINUS				
montana mughus—MUGHO PINE 4'				
Dwarf round and compact.	1.50			
15-18"	2.00			
18-24''	2.75			
Z-Z ¹ /2 AIICTDIAN DINF 70'				
nigra austriaca—AUSTRIAN PINE 70' Deep green color, long needles. Symmetric	ral			
shape.				
5-6'	4.50			
6-7'	5.50	5.00		
7-8'	7.50	7.00 9.00		
8-9'	12.00	11.00		
9-10'	15.00	14.00		
12-14'	18.00	16.50		
ponderosa—WESTERN YELLOW PINE	100'			
Opener than Austrian Pine, fast grower.				
6.7'	5.50	5.00		
7.8'	7.50	7.00		
8-9'	10.00	9. 0 0 11.00		
9-10′	15.00	14.00		
10-12'	13.00	11.00		
strobus—WHITE PINE 100'				
Long blue green needles, smooth bark.	5.50			
7.8'	7.50			
8-9'	10.00	9.00		
9-10'	12.00			

l to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each
PINE—Pinus sylvestris—SCOTCH PINE 70' Light green needles, reddish bark. Unsymmetrical rugged appearance. 3.4'			
5-6' 4.00 6-7' 5.50 7-8' 100 & Up 6.00 7.00 8-9' 100 & Up 7.50 9.00 9-10' 12.00 10-12' 15.00 12-14' 18.00 14-16' 21.00 16-18' 25.00 18-20' 30.00	3.75 5.25 6.75 8.50 11.00 14.00	5.00 6.50 8.25 10.00 12.50	4.75 6.25 8.00
RETINOSPORA—Chamaecyparis pisifera—SAWARA CYPRESS 2.50 4.5' 3.00 6-6' 4.00 7-8' 5.00			
pisifera aurea—GOLDEN SAWARA CYPRESS 3.4'			
2 ½-3'	1.50	1.35	1.25
SPRUCE—Piceα canadensis albertiana—BLACK HILL SPRUCE Dense growing, bluish tint. 18.24" 1.00 2.2½' 1.25 2½-3' 1.75 3.4' 2.25 4.5' 2.75 5.6' 5.00 6-7' 7.00			
excelsa—NORWAY SPRUCE 80' Sharp, pointed green needles. 1.75 3-4' 1.75 4-5' 2.50 5-6' 3.25 6-7' 4.50 7-8' 6.25 8-9' 8.50 9-10' 11.00 10-12' 13.50 12-14' 16.00 14-16' 19.00	1.50 2.25 3.00 4.00 5.75 8.00 10.00 12.00	3.75 5.50 7.75 9.00	3.50 5.25

	l to 5 Each	6 to 10 Each	ll to 30 Each	30 & up Each
SPRUCE—Picea				
pungens—COLORADO GREEN SPRUCE	80'			
Light green, sometimes silvery foliage.	8			
2-21/2'		1.00		
21/2-3'		1.25		
3-4'		1.75 2.25		
4-5'	2.50	3.25		
5-6′		4.75		
7-8'		6.50		
pungens morheimi—MORHEIM SPRUCE				
18-24"	2.50	2.25		
2-2 1/2'		2.75		
2½-3′		3.25		
3-31/2'		4.25		
7-8'				
8-9'				
9-10′	45.00			
TAXUS—Yew				
cuspidata—SPREADING JAPANESE YEW	7 6'			
Dark green needles.				
18-24"		2.35	2.25	
2-21/2'		3.00	2.75	
21/2-3'	3.75	3.50		
3½-4′				
4-41/2'	15.00			
cuspidata capitata—UPRIGHT JAPANES	E YEW			
An upright form.		0.00		
18-24"	2.25	2.00 2.35		
2-21/2'		3.35		
2 ½-3'	4.50	4.35		
3½-4′	5.50	5.35		
4-41/2'	6.75			
The following sizes are available in glob	e shape.	2.85		
18-24"	4.00	3.85		
2-21/2'	4.00	0.00		
media hicksi—HICKS YEW				
dense, columnar, very dark needles. Us	sed			
for hedges.		1.05	1.75	
18-24"	2.00	1.85 2.85	1.75 2.75	
2-21/2'	3.00	2.03	2.70	

NURSERY HAND TRUCK

and
EVERGREEN CARRIER

SAVE LABOR AND TIME and perform work in an efficient manner.

Equipped with Jumbo tires and inner tubes.

All steel construction, electrically welded.

F.O.B. MONROE \$29.00 EACH





BROAD LEAVED EVERGREENS

E	to 9 lach	10 to 29 Each	30 to 249 Each	250 & Up Each
COTONEASTER				
horizontalis—ROCK COTONEASTER 3' Jun Almost horizontal evergreen. Pink flowers, bright red fruit.	ne			
15-18" B&B	1.00	.90		
microphylla—ROCKSPRAY 6' May-June Spreading, nearly evergreen. Gray foliage, scarlet fruit. 15-18" B&B.	1.00	.90		
microphylla cochleata Green, silveredged leaves, larger than C. microphylla, Archina branches.				
3 in. Pots	.25	.20	.18	
DAPHNE cneorum—GARLAND FLOWER 1' April-Mc Dwarf bush, evergreen shrub. Rosettes of fragrant pink flowers.	ду			
6-9" B&B		.55 . 7 5	.50 .70	
EUONYMUS				
patens 10' Good shrub for winter effect. Holds leaves till spring. Slow growing and compact. 3-4'	1.50	1.25		
radicans—WINTER CREEPER 15'				
Can be used as vine or for edging or ground cover. Evergreen.				
12-15"	.35	.22 .30	.20 .25	
radicans vegetus—BIG LEAF WINTERCREEF Large glossy green foliage, scarlet berries.	PER 2	0'		
Evergreen. 12-15''	.40 .50	.35 .40	.30 .35	
MAHONIA				
aquifolium—OREGON HOLLY GRAPE 5' Likes shady location. The shiny dark green leaves turn bronze in fall and remain on the stems all winter. Blue berries.	May			
15-18" B&B	1.25 1.50	1.00 1.25		
PACHYSANDRA terminalis—JAPANESE SPURGE				
White flowers. Used as ground cover under trees and other places where grass will not				
grow. Strong field grown plants.		.12	.10	.08

E VERGREEN SIROES				
	1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
PYRACANTHA coccinea—FIRETHORN				
Orange and red berries in winter.				
12-15" B&B	85	.75		
15-18" B&B	1.00	.90		
VINCA				
minor—PERRIWINKLE OR MYRTLE				
Ground cover with attractive blue flowers	3.			
Strong field grown plants.				
Duo119 11-11-1 91-1 11-1		.10	.07	.05

VINES

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & UI Each
AMPELOPSIS tricuspidata (veitchi)—BOSTON IVY 50' Clings to brick or stone walls. In wide use 2 Year No. 1	25	.20	.17	.15
tricuspidata lowi—GERANIUM CREEPER Small leaves, turning bright red in fall. Slov growing. Climbs on brick.	▼			
21/4 in. Pots		.18	.15	
tricuspidata quinquefolia—VIRGINIA CRE Fast growing, no tendrils. For fences, structures and ground cover. 2 Year No. 1	wooden	.18	.15	
ARISTOLOCHIA				
sypho—DUTCHMAN'S PIPE 30' Large, round leaves, flowers resembling	g			
pipes. 2-3'	50	.40	.35	
BIGNONIA radicans—TRUMPET CREEPER 30' Scarlet, trumpet-shaped flowers in July. No. 1	20	.18	.15	.12
CELASTRUS orbiculatus—ORIENTAL BITTERSWEET 4 The orange and scarlet fruits cling close to	.0′			
the stem. 2 Year No. 1	15	.18 .12	.15 .10	.12
scandens—AMERICAN BITTERSWEET 25 The red berries retain their color and an popular for cutting.	; e			
2 Year No. 1	20	.18 .12	.15 .10	.12
CLEMATIS—Large flowering vari	eties	0.5		
2 Year No. 1	40	.35		
Jackmani, purple Mme. Edouard Andre, red				
Ramona, blue	30,			
paniculata—SWEET AUTUMN CLEMATIS White fragrant flowers. 2 Year No. 1		.18	.15	
HEDERA helix baltica—HARDY ENGLISH IVY				
Small leaved variety. Will climb on brid 2 in. Pots	,ZU	.18 .22	.15 .20	
12				

	l to 9 Eacn	10 to 29 Each	30 to 249	250 & Up
LONICERA—Honeysuckle	Lacii	Dati	2001	2.001
GOLD FLAME Coral flowers, clear yellow inside.				
2 Year No. 1		.35	.30	
japonica halliana—HALL JAPAN HONEYSU Creamy white fragrant flowers. Excellent ground cover or for screening on fence	JCKLE	25'		
wires. 2 Year No. 1	15	.12	.10	
sempervirens—SCARLET TRUMPET HONEY	SUCKL	E 30		
Long scarlet flowers. 2 Year No. 1	20	.18	.15	
LYCIUM chinense—CHINESE MATRIMONY VINE Rapid grower, fine for covering banks.				
2 Year No. 1	20	.18	.15	
POLYGONUM auberti—SILVERLACE VINE 30' Large sprigs of white flowers, fast growing.				
2 yr. No. 1	30	.25	.22	
WISTERIA sinensis—CHINESE PURPLE WISTERIA 40 Long clusters of flowers in May.)′			
2 Year No. 1	45	.35		
sinensis alba—CHINESE WHITE WISTERIA A white flowering variety.	40'			
2 Year No. 1	45	.35		

HYBRID TEA ROSES

rices are for quantitie	s of the	same	variety	and	grade.	
-------------------------	----------	------	---------	-----	--------	--

Prices are for quantities of the same varie	ty and gra	ae.		
	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up
2 Year No. 1	40	.35	.30	.25
2 Year No. 1½		.25	.20	.18
2 Year No. 2		.18	.15	.12
AMI QUINARD			.Dark Vel	vety Red
AUTUMN			Burn	t Orange
BETTY UPRICHARD			Orange	Carmine
CALEDONIA				White
CHARLES K. DOUGLAS				Dark Red
CONDESA DE SASTAGO			Red an	d Yellow
DAME EDITH HELEN			Large	Pure Pink
EDITH NELLIE PERKINS			Sal	mon Pink
ETOILE D' HOLLANDE				Dark Red
F G HILL				Scarlet
FRANCIS SCOTT KEY			\dots Light	Crimson
GOLDEN RAPTURE			Ric	h Yellow
GRUSS AN TEPLITZ			Cl	nerry Red
INDEPENDENCE DAY			Orange	and Pink
JOANNA HILL			Indic	m Yellow
KAISERIN A. VICTORIA			Crea	my White
LADY ALICE STANLEY			1	ight Pink
LORD CHARLEMONT			Deep	Crimson
MARGARET McGREDY		Brillian	t Red, Go.	Iden Base
MRS. CHARLES BELL				Shell Pink
MRS. PIERRE S. DuPONT			Golde	en reliow
PREMIER		• • • • • • •	n 14:-	nea
PRESIDENT HOOVER			Kedais	n Ordinge
ROSLYN		D	eep Golde	en renow
RADIANCE			Prich	Crimson
RED RADIANCE			D:	ch Vollow
SOUVENIR DE CLAUDIUS PERNET			Connor or	d Vellow
TALISMAN			Copper ar	id Tellow

HYBRID PERPETUAL ROSES

		l to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each
2	Year No. 1	40	.35	.30	
2	Year No 11/2	30	.25	.20	
AMERICA	N BEAUTY			La	rge Pink
	RL DRUSCHKI				White
FRAU KAI	RL DRUSCHKI				Pink
PAIII NEY	BON				1 11111

	OSES	3		
1	l to 9 Each	10 to 29 Each		0 & Up Each .25
2 Year No. 1	.30	.35 .25	.30 .20	.18
AMERICAN PILLAR. CLIMBING AMERICAN BEAUTY. CRIMSON RAMBLER.				Ked
CRIMSON RAMBLER. DOROTHY PERKINS. DR. VAN FLEET.			Shel	Pink
DR. VAN FLEET. EXCELSA. FLOWER OF FAIRFIELD.			Bright Ci	rimson
GARDENIA			.Creamy	(ellow
PAUL'S SCARLET CLIMBER. SILVER MOON.				Scarlet
POLYANTHA			00	
2 Year No. 1	30	.35 .25	.30 .20	Dink
CHATILLON IDEAL KATHERINE ZEIMET			Ric	ch Red
KIRSTEN POULSENLAFAYETTE			Bright	Scarlet
MISS EDITH CAVELL		Crims	on - White	Center
RUGOSA, HYBRID RUGOSA and	MISC	ELLAN	EOUS RO	OSES
F. J. Grootendorst				
Bright red flowers in clusters. 2 Year No. 1	25	.22	.20	
Hansa Double reddish flowers.		35		
Double reddish flowers. 2 Year No. 1 hugonis—GOLDEN ROSE OF CHINA		.35		
Double reddish flowers. 2 Year No. 1	40	.35	.20	
Double reddish flowers. 2 Year No. 1	40	.22		
Double reddish flowers. 2 Year No. 1	40		.20 .15 .10	
Double reddish flowers. 2 Year No. 1	40 25 20 15	.22 .18 .12	.15 .10	
Double reddish flowers. 2 Year No. 1	40	.22 .18 .12	.15	
Double reddish flowers. 2 Year No. 1	40 25 20 15	.18 .12	.15 .10	
Double reddish flowers. 2 Year No. 1	40 25 20 15	.22 .18 .12	.15 .10	
Double reddish flowers. 2 Year No. 1	40 25 20 15 20 15	.18 .12	.15 .10	
Double reddish flowers. 2 Year No. 1	402520152015252525	.18 .12	.15 .10	

PERENNIALS

I TITITATATA		
	3 to 9 Each	10 & Up Each
ptarmica 2' PERRYS WHITELarge double white flower. June to September—excellent for cutting.	.10	.08
tomentosa 8"Bright yellow flowers. July to September—excellent for rock gardens.	.10	.08
AGROSTEMMA—Rose Campion or Jo coronaria atrococcinea 3'	oy of I .10	.08
ALYSSUM—Madwort; Basket of Gold sarafile compactum 1'	.10	.08
ANCHUSA—Dropmore mysotidiflora l'	.15	.12
ANTHEMIS—Chamomile kelwayi 3' Large golden yellow flowers produced all summer.	.10	.08
AQUILEGIA—Columbine chrysantha 3' Long spurred yellow flowers. Blooms June and July.	.10	.08
skinneri 3'	.10	.08
MRS. SCOTT ELLIOTT 3'Large flowers, large petals. Delicate soft colors, also some red shades.	.10	.08
Pure white, fragrant flowers, splendid for border and rock gardens.	.10	.08
ARMERIA—Thrift or Sea Pink		
formosa 8"	10	.08

FERENCIALD		
	3 to 9 Each	10 & Ur Each
ASCLEPIAS—Butterfly Weed tuberosa 18"	10	.08
Produces orange-colored flowers during July and August.	20	
ASTER—Species and Hybrids alpinus 8"	10 nd June.	.08
amellus 18"		.08
MAUVE CUSHION 9"		.08
STAR OF EISENBACH 12"Large purple flower in May and June.	12	.10
ASTER—Michaelmas Daisy	10	.08
Large pyramidal spikes of large light blue flowers.		
WHITE CLIMAX 4'Large pyramidal spikes of large white flow ers.	10	.08
SNOWSPRITE 2'Dwarf early September flowering variety Semi-double white fowers.	12	.10
AUBRIETIA—Purple Rockcress		
eyri 8"	12 .t	.08
BOLTONIA—False Chamomile		
asteroides 6'	12	.10
latisquama 5'	12 nt	.10
BOCCONIA—Plumepoppy		
cordata 8'	12 s.	.10
CAMPANULA—Bellflower		
calycanthema—CUP AND SAUCER 2½'. A fine biennial plant for the old fashione garder.		.10
calycanthema BLUE	12	.10

CAMPANULA—Bellflower (Cont.)	to 9 ach	10 & Up Each
	12	.10
calycanthema WHITE	12	.10
carpatica—CARPATHIAN HAREBELL Flowers clear blue, start blcoming in June and continue until October. Unsurpassed for rock garden or edging.	.10	.08
carpatica alba—WHITE CARPATHIAN HAREBELL 8"	.10	.08
CARNATION GRENADINE SCARLET A large flowering type.	.10	.08
GRENADINE WHITE	.10	.08
CRIMSON KING Dazzling crimson flowers on stiff stems, long enough for cutting. Flowering during the entire spring, summer and fall.	.15	.12
CENTAUREA—Knapweed macrocephala 3½' Large thistle-like golden yellow flowers. Showy plants in borders and useful for cut flowers. July and August.	.15	.12
MONTANA 2'Large violet blue flowers from July to September.	.10	.08
CERASTIUM—Snow-in-Summer tomentosum 3"	.10	.08
CEPHALARIA ALPINA alpine scabiosa 5' Sulfur yellow flowers in July.	.10	.08
CHELONE—Turtlehead or Shellflower lyoni 3'		.08
CHRYSANTHEMUM MAXIMUM—SI maximum—SHASTA DAISY 2'Large white flowers, bloom all summer and fall.	nasta .10	Daisy .08

I	to 9 Each	10 & Up Each
CHRYSANTHEMUM—Hardy Outdoo		
ALICE HOWELL 2'Orange yellow flowers in October.	.12	.10
EARLY BRONZE $1\frac{1}{2}$ Pompon Type Bronze yellow, free blooming early flowering. Late August to frest.	.12	.10
INDIAN 3'	.12	.10
JEAN CUMMING 2' Large pure white flowers, with yellow and bluish shading at the center of the buds.	.12	.10
LITTLE BOB $1\frac{1}{2}$.12	.10
MURILLO 2'	.12	.10
OCTOBER DAWN $1\frac{1}{2}$ Soft pink, start flowering in October. A very late bloomer.	.12	.10
OCTOBER GOLD 2'	.12	.10
R. MARION HATTON Pompon Type Canary-yellow flowers. An exceptional free bloomer starting late September. It is remarkably resistant to frost.	.12	.10
SKIBO Pompon Type	.12	.10
VIVID A rosy crimson shade. Flowering about October first.	.12	.10
WHITE DOTY Tall, straight flower stems with pure white pompon flowers.	.12	.10
YELLOW NORMANDIELight bronzy yellow flowers, for early October.	.12	.10
CHRYSANTHEMUMS—Hardy Kored	ın	
APOLLO 2½' Sparkling combination of bronze, red and gold suffused with glowing salmon. October.	.12	10
CERES 2'	.12	.10
DAPHNE 2'	.12	.10
MARS 2'	.12	.10

CITATION CUDICA NUMBERATINA	3 to 9 Each	10 & Up Each
CUSHION CHRYSANTHEMUM AMELIA Dwarf, compact, cushion-like growth; flowering freely from late September on and varying from light to deep pink.	12	.10
COREOPSIS—Tickseed MAYFIELD 2½' An improved, large single flower of brilliant yellow.		.08
DELPHINIUM—Larkspur BELLADONNA 4' Flowers light blue continuously during the summer.		.08
EELLAMOSA 4'	10	.08
ENGLISH HYBRIDS BLACKMORE & LANGDON 4' This strain is in a class by itself. It has the range of colors well divided in the pale shades of indigo with a strong run of the most delicate shades of rose, double and single.	15	.12
DIANTHUS de'toides Maiden Pink 8" A creeping variety with narrow leaves and bearing a profusion of crimson flowers during June and July.		.08
latifolius atrococcineus		.08
plumarius The old fashioned Hardy Pinks, bloom from May to November.	10	.08
DICENTRA—Bleedingheart spectabilis 2' Long racemes of heart shaped pink flowers in May and June.	25	.20
EUPATORIUM—Hardy Ageratum frazeri 1½'	10	.08
GAILLARDIA—Blanketflower grandiflora (Bremen Strain) 2' Deep orange-yellow flower. Blooms from June to November.	10	.08

PERENNIALS	
3 to 9 Each	10 & Up Each
GYPSOPHILA—Babysbreath	.08
acutifolia l'	.00
paniculata 2'	.08
HELENIUM—Sneezeweed RIVERTON BEAUTY 4'	.08
RIVERTON GEM 4'	.08
HELIANTHUS—Hardy Sunflower maximiliani 6'	.08
HELIOPSIS—Hardy Zinnia pitcheriana 4'	.08
scabra zinneaflora 3'	.08
HEMEROCALLIS—Daylily flava 2½'	.08
IBERIS—Candytuft sempervirens 8"	.08
IRIS GERMANICA—German Iris AMBASSADEUR 40" L	.05
CINNABAR 36" M	.10
DOLLY MADISON 38" E	.10
GRACE STURTEVANT 28" L	.20
KATHARINE McFARLAND 20" L12 Blackish purple.	.10
KING TUT 28" M-L	.17

3 to 9 Each	10 & Up Each
IRIS GERMANICA—German Iris (Cont.)	
MARY BARNETT 36" M	.12
MRS. VALERIE WEST 40" M	.12
PINK SATIN 38" M	.20
PLUIE D'OR 32" M	.10
PRINCESS BEATRICE 38" E	.05
SOUVENIR DE MME. GAUDICHAN 36" E12 Old purple with blue beard.	.10
IRIS PUMILA—Dwarf Iris	
These Irises rarely grow over six inches in height and bloom in April and May.	
atroviolacea	.05
azurea	.05
DITTONS PURPLE	.10
FLORIDA	.10
MAROCAIN12 Very dark violet.	.10
THE BRIDE	.10
IRIS SIBERICA—Siberian Iris	
EMPEROR 45" M	.12
KINGFISHER BLUE 36" M	.10
LLEWELLYN 40" M	.30
PERRYS BLUE 36"	.10
WHITE DOVE 48" M	.12
LIATRIS—Gayfeather	
spicata 2½'	.12

	3 to 9 Each	10 & Un Each
LINUM-Flax		
flavum 2'	15	.12
perenne 2'	10	.08
perenne album 2 A white variety of above.	10	.08
LYCHNIS—Campion	10	.05
chalcedonica 3'		.08
viscaria splendens l'	10	.00
LYTHRUM—Purple Loosestrife	15	10
superbum roseum 3'	15	.12
MONARDA—Beebalm		
Brilliant crimson, flowers are produced free-		
ly from June until August.		
PAEONIA—Peony		
3 to 5 Eye Divisions.	15	.12
White Pink	15	.12
Red		.12
PHLOX DECUSSATA		
AFRICA	10	.08
Brilliant carmine red with blood red eye.		
B. COMTE		.10
Best clear reddish-purple, sometimes con		
sidered a burgundy shade.	12	.10
BEACONLarge full trusses of carmine with wine-rec		.10
eye.	10	00
COLONIAL	10	.08
Very large light blue flowers. ECLAIREUR	10	.08
Brilliant purplish-crimson with white eye.		
FEUERBRAND	12	.10
Rich deep scarlet slightly darker at center	î.	. 10
LEO SCHLAGETER	15	.12
Large scarlet trusses slightly darker in the center.	∌	
RHEINLÄNDER	10	.08
Salmon pink with carmine eye.		
RIJNSTROOM	10	.08
Clear rose pink with lavender cast.	10	1.0
THORLarge florets of clear salmon pink with but	12	.10
gundy eye.		
WIDAR	12	.10
Violet florets with a clear white eve.		

	3 to 9 Each	10 & Up Each
PHLOX SUBULATA		
amoena 4"	.12	.10
lilacina Creeping variety suitable for bold masses in the rock graden, completely covered with light lilac flowers in May.	.12	.10
roseα	.12	.10
VIVID Bright pink with dark pink eye. PHYSALIS—Chinese Lanternplant	.12	.10
francheti 2'	.10	.08
PHYSOSTEGIA—False Dragonhead virginica 4'	.10	.08
PYRETHRUM—Painted Daisy atrosanguineum 2' Produces flowers of a red shade during June and July	.10	.08
MIXED VARIETIES This mixture contains double and single flowered sorts in many shades of pink, rose and white.	.10	.08
SALVIA—Meadow Sage azurea 4'	.10	.08
SAXIFRAGA—Rockfoil cordifolia 1'	.20	.15
SCABIOSA—Pincushion Flower caucasica Blue Bonnet 2'	.15	.12
SEDUM—Stonecrop acre 2' Foliage green; flowers bright yellow, prostrate and slowly spreading. May and June.	.10	.08
kantschaticum . Orange-yellow flowers, with prostrate, green foliage turning golden in Autumn.	.10	.08
spectabile 18"	.10	.08

E	to 9 Each	10 & Up Each
SPIRAEA—Meadowsweet	.10	.08
Fernlike foliage with clusters of white flowers during June and July.		
TEUCRIUM—Germander	15	.12
canadensis 12" Dwarf plants of open growth, bearing spikes of reddish purple flowers during the summer.		
chamaedrys 12" Evergreen shrub-like plant with glossy green foliage. Spikes of purple flowers in August and September.	.15	.12
TRITOMA—Redhot Poker	16	.12
pfitzeri 4'	.13	.12
TUNICA—Coatflower	10	.08
saxifraga 6" A pretty tufted plant with light pink flowers; produced all summer.	.10	.00
VALERIANA—Golden Heliotrope	10	00
officinalis 4' Produces showy heads of rose-tinted white flowers during June and July.	.10	.08
VERBASCUM—Mullein	10	.10
phoeniceum 18" Flowers borne in branched spikes in colors ranging from white, pink, rose, purple and bronze to brown.	12	.10
VERONICA—Speedwell		
longifolia subsessilis 2'Long spikes of blue flowers during July to September.	15	.12
VIOLA—Tufted Pansy	15	.12
Sky blue flowers all summer.		
ilona Claret red flowers all summer.		.12
lutea Purple yellow flowers on compact plants.	15	.12
WHITE PERFECTION	15	.12
YUCCA—Adams Needle	10	00
filamentosa 5'	f10	.08

You get all the roots when you buy Ilgenfritz Fruit Trees



A front view of the new Ilgenfritz Power Digger. Of course it saves time but what's more important it digs the trees with more roots than we ever were able to get before.

This rear view shows the digger in action. Notice the size of the blade.



FRUIT TREES

STANDARD APPLES

2 years, budded

Write for quantity prices.

Prices are for quantities of a grade and variety.

	1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
11/16" and up	35	.30	.25	.22½ .18
9/16"-11/16"	22	.18	.16	.14

ANOKA—Early bearer, red fruit. Summer.

BALDWIN—Large, bright red, fine for cooking and eating. November.

BANANA—Large, pale yellow with red blush, tender. October.

CHENANGO—Medium, yellow striped, early bearer. August.

CRIMSON BEAUTY—Productive annual bearer, red. July

CORTLAND—Deep red, large. October.

DUCHESS-Medium, red striped, cooking apple. August.

EARLY HARVEST—Medium, yellow, excellent for eating. July.

EARLY McINTOSH—Cross between Yellow Transparent and McIntosh. August.

FAMEUSE—Snow apple, medium, red striped, for eating. October.

GALLIA BEAUTY—Red Rome, solid red, medium. November.

GOLDEN RUSSETT—Medium, golden russett color, good keeper. December.

GRIMES GOLDEN—Golden yellow, medium. November.

HUBBARDSTON—Greenish yellow flushed red, medium. October.

IONATHAN-Medium, dark red. November.

KING—Large, fine for cooking. October.

KIRBY—Medium, deep red, improved Delicious. November.

LODI—Improved Yellow Transparent. July.

MACOUN—Dark solid red. November-December.

McINTOSH-Medium, red. October

NORTHERN SPY-Large, bright red, striped. November.

N.W.GREENING—Large, greenish-yellow. December.

RAMBO-Medium, pale green. November.

RED ASTRACHAN—Yellow, overlaid with red. July.

RED DELICIOUS—Large, red, excellent eating apple. November.

RED SPY-Large, bright red. November.

R.I.GREENING—Large, green, cooking apple. December.

STARK-Greenish-yellow striped red. November.

STAYMAN—Medium, red. December.

STEELE RED-Juicy, fine flavor, yellow, striped deep red. November.

SWEET BOUGH-Pale yellow, sweet. August.

TOLMAN-Sweet, yellow. November.

TURLEY-Large, dark red, winesap. December.

WAGENER—Bright red and yellow, medium. October.

WEALTHY-Medium, bright red. October.

WINESAP—Medium, early and regular bearer. December.

WINTER BANANA—Large, pale yellow with red blush, tender. October.

WOLF RIVER—Large, yellow and green blushed red. September.

YELLOW DELICIOUS—Yellow, fine flavor, annual bearer. November.

YELLOW TRANSPARENT—Medium, waxy, yellow. July.

CRAB APPLES

2 years, budded.

1 to 9 Each		30 to 249 Each	
11/16" and up			.22 1/2
9/16"-11/16"	.25	.20	.18
7/16"- 9/16"	.18	.16	.14

HYSLOP—Dark red. September.
MARTHA—Bright light red. September.
WHITNEY—Striped red. August-September.

STANDARD PEARS

2 years, budded.

Write for quantity prices!

	l to 9 Each	10 to 29 Each	30 to 249 Each	
11/16" and up	30	.25	.20	.22½ .18 .14

ANJOU-Yellow, faintly blushed. November.

BOSC-Tapering neck, yellow and russett. October.

BARTLETT-Yellow with red blush. September.

CLAPP—Lemon yellow, dotted crimson. August.

CAMPAS—Blight resistant Kieffer. Early bearer.

CLAIRGEAU—Yellow with crimson cheek. October.

CONFERENCE—Shining green, dotted russett. October.

DUCHESSE—Dull yellow, streaked. October.

FLEMISH BEAUTY—Clear yellow with red blush. September.

GORHAM—Resembles Bartlett but two weeks later. Good keeper.

KIEFFER-Yellow, blushed dull red. October.

LAWRENCE—Lemon yellow marked with russett. November.

SECKEL—Small, yellowish brown, red cheek. September.

SHELDON—Greenish-yellow, slightly russeted. September.

VERMONT BEAUTY—Resembles Seckel but is larger and ripens later.

WILDER-Bright yellow, flaming cheek. August.

DWARF PEARS

2 year.

		Each	
5/8" and up		.25	.22
1/2"-5/8"	25	.20	.10

EARTLETT
CLAPP
CONFERENCE
CAMPAS
DUCHESSE
FLEMISH BEAUTY
SECKEL
WILDER

SOUR CHERRIES

2 years and 1 year on Mahaleb

Write for quantity prices

	l to 9 Each	10 to 29	30 to 249 Each	250 & Up Each
11/16" and up	50	.40	.35	.30

EARLY RICHMOND—Early, medium size, light red. ENGLISH MORELLO-Late, very dark red. MONTMORENCY—Large red sour cherry, midseason.

SWEET CHERRIES

2 years and 1	year			
_ 1	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
11/16" and up	60	.50	.45	
9/16"-11/16"	50	.45	.40	
7/16"- 9/16"		.40	.35	

BING-Almost black.

BLACK TARTARIAN—Purplish black.

GOVERNOR WOOD—Pale yellow with red blush.

NAPOLEON-Yellow with red cheek.

PEACHES

Write for quantity prices!

		l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
13/10" and	up		.20	.16	.15
0/16" 11/16	up)"	25	.18	.15	.14
9/10 -11/10	S''	20	.15	.12	.09
F/10 - 5/10	6"	15	.10	.08	.06
0.00		10	.08	.06	.05
4-0				1	imate

Ripening dates are those of the South Haven, Michigan area and are approximate and relative.

Y-Yellow

W-White C-Clingstone

F-Freestone

SF-Semifreestone

ADMIRAL DEWEY YF-July 28th to August 5th.

AMBER GEM YC-August 28th to September 8th.

ARP BEAUTY YSF—July 28th to August 7th. BANNER YF—September 30th to October 5th.

BARNARD—September 1st to September 5th.

BELLE OF GEORGIA WF—September 1st to September 5th.

CARMAN WSF-August 15th to August 20th.

CAPTAIN EDE YF-September 10th to September 20th.

CHAMPION WF-August 10th to August 15th.

ELBERTA YF-September 10th to September 20th.

EARLY ELBERTA YF-September 5th to September 10th.

EARLY CRAWFORD YF-September 1st to September 5th.

ENGLE YF-September 15th to September 20th.

ECLIPSE YF-September 5th to September 10th.

FITZGERALD YF-August 25th to September 1st. GOLDEN JUBILEE YF-August 15th to August 20th.

GOLD DROP YF-September 25th to October 1st.

	l to 9 Each	10 to 29 Each	250 & Up Each
PEACHES HALEHAVEN YF—August 25th to August 30th	h.		
J. H. HALE YF—September 5th to September 1	0th.		

J. H. HALE YF—September 5th to S KALHAVEN YF—September 7th to September 15th.

KALAMAZOO YF-September 20th to September 30th.

LATE CRAWFORD YF—September 20th to September 30th.

LEMON FREE YF-September 20th to September 25th. LEMON CLING YC September 20th to September 25th.

MAYFLOWER WSF-July 15th to July 20th.

MIKADO YSF-August 1st to August 5th.

NEW PROLIFIC YF—September 1st to September 5th.

ORIOLE YF-August 5th to August 10th.

ROCHESTER YF—August 15th to August 20th.

SALBERTA YF-October 1st to October 5th.

SOUTH HAVEN YF-August 25th to September 1st. VALIANT YF-September 1st to September 10th.

VEDETTE YF-August 20th to 25th.

WILMA YF-September 15th to September 25th.

YELLOW ST. JOHN YF-August 10th to August 15th.

RIO OSO GEM YF-Pat. No. 84 September 20th to September 25th. 7/16"-9/16"40 .32 .28 5/16"-7/16"30 .25 .22 FOR RESALE ONLY AT PRICES NOT LESS THAN THIS SCHEDULE .25 .20 10 to 29 30 to 249 1 to 9 Each Each Each .40 .35 .35 .40

We are licensed distributors for Ohio, Illinois, Indiana, Iowa, Michigan, Minnesota, Missouri and Wisconsin.

Patent Agreement Must Be Signed Before Purchasing Stock.

PLUMS

2 years on Plum

i to 9	10 to 29	30 & Ur
Each	Each	Each
11/16" and up	.40 .35	.35 .30

*BURBANK—Early bearer, yellow and red. September.

BRADSHAW-Violet red, large. August.

*FELLENBERG-Dark blue, freestone. September.

GERMAN PRUNE—Dark blue, freestone. September.

*LOMBARD—Violet red, freestone. September.

MONARCH—Dark purple, freestone. September.

RED JUNE-Heart-shaped, garnet red. Early.

APRICOTS

2 years on Plums.

.45

MOORPARK—Orange and red, freestone. August.

QUINCES

5/8" and up

1 to 9 10 & Up each each

Orange.

.50 .40

NECTARINES

1 year on Peach.

l to 9	10 to 29	30 & Up
Each	Each	Each
	.25 .22	

FOX—Yellow with red cheek, freestone. September 1st.

SMALL FRUITS

BLACKBERRIES—No. 1 Suckers

l to 9	10 to 29	30 to 249	250 & Up
Each	Each	Each	Each
.06	.05	.04	.03

ALFRED BLOWERS ELDORADO MERSEREAU

RASPBERRIES, Red-No. 1 Suckers

l to 9	10 to 29	30 to 249	250 & Up
Each	Each	Each	Each
06	.05	.04	.03

CHIEF CUTHBERT KING

LATHAM ST. REGIS

RASPBERRIES, Black and Purple—No. 1 Tips

1 to 9 Each	10 to 29 Each		250 & Up Each
COLUMBIAN	.05	.04	.03
CUMBERLAND	.03	.02	.01 1/2
NEW LOGAN	.04	.03	.02
PLUM FARMER	.04	.03	.02
SODUS	.06	.05	.04

1. E. ILGENFRITZ' SONS CO. THE MONROE NURSERY		SMALL	FRUITS
CURRANTS, Red—2 years No. 1			
CHERRY	.08	.07	.06
FAY		.07	.06
PERFECTION		.09	.08
WILDER		.07	.06
GOOSEBERRIES—2 year No. 1			
DOWNING, green	.18	.15	
HOUGHTON, dull dark red	.15	.12	
JOSSELYN, pale red	.18	.15	
GRAPES—2 year No. 1			
AGAWAM, red	.12	.10	.08
BRIGHTON, red		.10	.08
CACO, red		.16	.14
CATAWBA, red		.10	.08
CONCORD, black		.05	.04
DELAWARE, red		.10	.08
FREDONIA, black		.14	.12
MOORE'S EARLY, black		.10	.08
NIAGARA, white		.08	.06
PORTLAND, white		.14	.12
WORDEN, black		.10	.02
WOTDEN, BROK			
ASPARAGUS—2 year No. 1			
MARTHA WASHINGTON	.03	.02	.011⁄2
RHUBARB—1½-2 in.			
MYATT LINNAEUS	.08	.06	.05
STRAWBERRIES		Per 100	Per 1000
AROMA		.75	5.00
BLAKEMORE		.75	5.00
DORSETT		1.00	6.50
DUNLAP		.75	5.00
FAIRFAX		1.00	6.50
GEM		1.25	8.00
PREMIER		1.15	7.00
		1.25	8.00
MASTADON			



THE ILGENFRITZ FIRMER

A well known implement in use throughout the country.

STOP HEAVY LOSS of newly planted stock by the proper firming of soil. This firmer is constructed so that additional weight can be added when necessary insuring uniform packing of soil about roots at all times. Easily steered by foot pedals. Narrow wheels cut through loose top soil and pack the earth about the roots.

\$85.00 F.O.B. MONROE, MICH.

THE ILGENFRITZ TWO ROW OPENER

SPEED UP SUMMER CULTIVATION by proper spring planting.
Accurate spacing between pairs of rows enables you to use standard two row tractor-cultivators saving time and money.

Rows are equal distance apart their entire length.

Easily attached to any tractor.

All steel construction.

\$175.00 F.O.B. MONROE, MICH.

We can also still supply the Ilgenfritz Single Row Opener.

\$95.00 F.O.B. MONROE, MICH.



DOWAX

PROTECTS TREES AND PLANTS

USE DOWAX FOR:

Spraying of evergreens in early October to prevent winter windburn and the browning of foliage and needles.

Spraying of fall planted deciduous trees, preventing winter windburn.

Spraying of late spring planted deciduous plants already in foliage, will check dehydration and prevent wilting.

Coating Christmas trees to retard needle-fall.

EASY TO APPLY:

Dilute DOWAX with three parts of water and apply with a knapsack sprayer for best results.

DOWAX was developed by Michigan State Experiment Station; and the Dow Chemical Company are sole producer under special manufacturing and sales licenses.

DOWAX weighs seven pounds per gallon and is supplied as follows:



30 gal drums—210 lbs. at \$.18 lb.

10 gal. drums— 70 lbs. at .22 lb.

5 gal. drums— 35 lbs. at .26 lb.

1 gal. cans — 7 lbs. at .30 lb.

F.O.B. MONROE, MICHIGAN

COMPLETE DIRECTIONS FOR USE ON EACH PACKAGE

B & B Price Schedule

For deciduous stock not marked B&B in this price list.

Shrubs and small trees

		1	2	5	25
Diam. of ball	Plant Size	each	each	each	each
10 in.	18 to 24 in.	. 35	. 30	. 25	. 20
12 in.	2 to 3 ft.	. 45	. 40	.30	. 25
13 in.	3 to 4 ft.	. 50	. 45	. 35	. 30
15 in.	4 to 5 ft.	. 70	. 60	. 50	.40
16 in.	5 to 6 ft.	. 85	. 75	. 60	. 50
18 in.	6 to 7 ft.	1.40	1.20	1.00	. 90
20 in.	7 to 8 ft.	2.20	1.80	1.50	1 30
22 in.	8 to 9 ft.	3.10	2.60	2.10	1.75
24 in.	9 to 10 ft.	4.10	3.25	2.50	2.15
	Standard	shade	trees		
18 in.	$1\frac{1}{4}$ to $1\frac{1}{2}$ in.	1.40	1.20	1 00	. 90
19 in.	$1\frac{1}{2}$ to $1\frac{3}{4}$ in.	1.75	1 50	1.25	1 10
21 in.	13/4 to 2 in.	2.50	2 10	1.75	1.50
24 in.	2 to $2\frac{1}{2}$ in.	4.10	3.25	2.50	2 15
27 in.	$2\frac{1}{2}$ to 3 in.	5.50	4.25	3 30	2.80

Deposit Required on Platforms Supplied with balled trees.

 $4\frac{1}{2}$ to 5 in. 13.50 11.25 8.75

35 in. $3\frac{1}{2}$ to 4 in. 8.75 6.75 4.90

40 in. 4 to 4½ in. 12.00 9.75 7.50

30 in. 3 to $3\frac{1}{2}$ in. 7.50

44 in.

3.50

4.50

6.10

7.25

5.75 4.10

30	x	30''														. 9	1.00)
36	x	36′′															2.0	0
48	x	48''															3.00	0
60	Y	60′′															4.0	0

Memorandum

ORDER FOR

I. E. ILGENFRITZ' SONS CO.

THE MONROE NURSERY

MONROE MICH.

Name				Date			
Address					1		
Ship when	ns						
Quantity	N	Unit	Amount				
				-			
	*						
						1	
						-	
				-			
All orders take we have no co sidered except description, qu	en subject to acceptance by notrol. Shipments travel at twhen made promptly afte sality, growth, productiver lability for untrueness to no surchase price.	y our home office, to cro risk and cost of purchase r receipt of stock. We gi ness, or any other matter,	op yield, and to all er, and no claims f ve no warranty, e of any stock we s	continger or deducti apressed o tell. It is	ncies over which ons will be con r implied, as to mutually agree re-placement.	h i od	
refund of the	ourchase price.	ame and i deserapon adda	I. E.	ILGENFR	ITZ' SONS CC).	

refund of the purchase price.

SIGNATURE OF PURCHASER





